

Estimate all the {LWE, NTRU} schemes!

Martin R. Albrecht¹, Benjamin R. Curtis^{1✉}, Amit Deo¹, Alex Davidson¹, Rachel Player^{1,2}, Eamonn W. Postlethwaite¹, Fernando Virdia^{1✉}, Thomas Wunderer^{3✉*}

¹ Information Security Group, Royal Holloway, University of London, UK

² Sorbonne Université, CNRS, INRIA,

Laboratoire d’Informatique de Paris 6, LIP6, Équipe POLSYS, France

³ Technische Universität Darmstadt, Germany

`martin.albrecht@royalholloway.ac.uk,`

`benjamin.curtis.2015@rhul.ac.uk,`

`amit.deo.2015@rhul.ac.uk,`

`alex.davidson.2014@rhul.ac.uk,`

`rachel.player@lip6.fr,`

`eamonn.postlethwaite.2016@rhul.ac.uk,`

`fernando.virdia.2016@rhul.ac.uk,`

`twunderer@cdc.informatik.tu-darmstadt.de`

Abstract. We consider all LWE- and NTRU-based encryption, key encapsulation, and digital signature schemes proposed for standardisation as part of the Post-Quantum Cryptography process run by the US National Institute of Standards and Technology (NIST). In particular, we investigate the impact that different estimates for the asymptotic runtime of (block-wise) lattice reduction have on the predicted security of these schemes. Relying on the “LWE estimator” of Albrecht et al., we estimate the cost of running primal and dual lattice attacks against every LWE-based scheme, using every cost model proposed as part of a submission. Furthermore, we estimate the security of the proposed NTRU-based schemes against the primal attack under all cost models for lattice reduction.

1 Introduction

In 2015, the US National Institute of Standards and Technology (NIST) began a process aimed at standardising post-quantum Public-Key Encryption schemes (PKE), Key Encapsulation Mechanisms (KEM), and Digital Signature Algorithms (SIG), resulting in a call for proposals in 2016 [Nat16]. The aim of this standardisation process is to meet the cryptographic requirements for communication (e.g. via the Internet) in an era where quantum computers exist. Participants were invited to submit their designs, along with different parameter sets aimed at meeting one or more target security categories (out of a pool of 5). These categories roughly indicate how classical and quantum attacks on the proposed schemes compare to attacks on AES and SHA-3 in the post-quantum context. As

* The research of Albrecht was supported by EPSRC grant “Bit Security of Learning with Errors for Post-Quantum Cryptography and Fully Homomorphic Encryption” (EP/P009417/1) and by the European Union PROMETHEUS project (Horizon 2020 Research and Innovation Program, grant 780701). The research of Curtis, Deo and Davidson was supported by the EPSRC and the UK government as part of the Centre for Doctoral Training in Cyber Security at Royal Holloway, University of London (EP/K035584/1). The research of Player was partially supported by the French Programme d’Investissement d’Avenir under national project RISQ P141580. The research of Postlethwaite and Virdia was supported by the EPSRC and the UK government as part of the Centre for Doctoral Training in Cyber Security at Royal Holloway, University of London (EP/P009301/1). The research of Wunderer was supported by the DFG as part of project P1 within the CRC 1119 CROSSING.

part of their submissions participants were asked to provide cryptanalysis supporting their security claims, and to use this cryptanalysis to roughly estimate the size of the security parameter for each parameter set.

Out of the 69 “complete and proper” submissions received by NIST, 23 are based on either the LWE or the NTRU family of lattice problems. Whilst techniques for solving these problems are well known, there exist different schools of thought regarding the asymptotic cost of these techniques, and more specifically, of the BKZ lattice reduction algorithm. This algorithm, which combines SVP calls in projected sub-lattices or “blocks”, is a vital building block in attacks on these schemes. These differences can result in the same scheme being attributed several different security levels, and hence security categories, depending on the *cost model* being used. By “cost model” we mean the combination of the cost of solving SVP in dimension β and the number of SVP oracle calls required by BKZ (cf. Section 4). A major source of divergence in estimated security is whether current estimates for sieving [AKS01, LMvdP15, BDGL16] or enumeration [Kan83, FP85, MW15] are used to instantiate the SVP oracle in BKZ; we refer to the former as the “sieving regime” and the latter as the “enumeration regime”. A second source of divergence is how polynomial factors are treated.

Thus, to provide a clearer view of the effect of the chosen cost model on the security assurances given by each submission, we extract the proposed parameter sets for each LWE-based and NTRU-based submission (Section 3). In particular, we consider each LWE-based scheme as a plain LWE instance, i.e. we mention algebraic (ring, module) structure but do not consider it further in our analysis, as is standard. We also extract the cost models used to analyse them (Section 4). Using this information, we then cross-estimate the security of each parameter set under every cost model from every submission (Section 5).

In this work, we restrict our attention to a subset of attacks on both families of problems. For LWE, we restrict our attention to the uSVP variant of the primal lattice attack as given in [BG14, ADPS16, AGVW17] and the dual lattice attack as given in [MR09, Alb17]. We disregard combinatorial [AFFP14, GJS15, KF15, GJMS17] and algebraic attacks [AG11, ACFP14], since those algorithms are not competitive for the parameter sets considered here in the sieving regime.⁴ Furthermore, we only consider the different cost models proposed in each submission and leave the consideration of variants of the dual and primal attack proposed in several submissions for future work. For the primal attack this, in particular, means that we do not consider the primal attack via a combination of lattice reduction and BDD enumeration often referred to as a “lattice decoding” attack. While the primal uSVP attack can be considered as a simplified variant of the decoding attack in the enumeration regime, it typically outperforms the latter in the sieving regime. We intend to extend our analysis to the decoding attack in future work. For NTRU, we restrict our attention to the primal uSVP attack (possibly) combined with guessing zero-entries of the short vector, which can be considered as a simplified variant of the hybrid attack [HG07, Wun16]. In particular, we do not consider the meet-in-the-middle variant or “guessing + nearest plane” after lattice reduction. Again, we intend to extend our analysis to cover the full hybrid attack in future work.

⁴ BKW-style algorithms do outperform BKZ in the enumeration regime for some medium-sized parameter sets, but require an exponential number of samples, which will not be available to an adversary attacking any of the discussed schemes. Furthermore, similarly to BKZ in the sieving regime, BKW requires $2^{\Theta(n)}$ memory.

Related Work. NIST categorised each scheme according to the family of underlying problem (lattice-based, code-based, SIDH-based, MQ-based, hash-based, other) in [Moo17]. This analysis was refined in [Fuj17]. NIST then provided a first performance comparison of all complete and proper schemes in [Nat17]. Bernstein provided a comparison of all schemes based on the sizes of their ciphertexts and keys in [Ber17].

2 Preliminaries

We write vectors in lowercase bold letters \mathbf{v} and matrices in capital bold letters \mathbf{A} , and refer to their entries with a subscript index $v_i, A_{i,j}$. We identify polynomials f of degree $n - 1$ with their corresponding coefficient vector \mathbf{f} . We write $\|f\|$ to mean the Euclidean norm of \mathbf{f} . Inner products are written using angular brackets $\langle \mathbf{v}, \mathbf{w} \rangle$. The transpose of \mathbf{v} is indicated as \mathbf{v}^t . Generic probability distributions are labelled χ . We use the notation $a \leftarrow \chi$ to indicate that a is an element sampled from χ . We refer to the expectation of a as $\mathbb{E}_\chi[a]$, and its variance as $\mathbb{V}_\chi[a]$ and we may omit the subscript χ if the distribution is clear from the context. For $c \in \mathbb{Q}$, we use $\lfloor c \rfloor$ to denote the procedure of rounding c to the nearest integer $z \in \mathbb{Z}$, rounding towards zero in the case of a tie.

We write U_S to mean the discrete uniform distribution over $S \cap \mathbb{Z}$. If $S = [a, b]$, we refer to $U_{[a,b]}$ as a *bounded uniform* distribution. We write the distribution of \mathbf{s} such that $s_i \leftarrow U_{[a,b]}$ as (a, b) , and the distribution of \mathbf{s} such that exactly h entries (selected at uniform) have been sampled from $U_{[a,b] \setminus \{0\}}$, and the remaining entries have been set to 0, as $((a, b), h)$.

An n -dimensional *lattice* is a discrete additive subgroup of \mathbb{R}^n . Every n -dimensional lattice L can be represented by a *basis*, i.e. a set of linearly independent vectors $\mathbf{B} = \{\mathbf{b}_1, \dots, \mathbf{b}_m\}$ such that $L = \mathbb{Z}\mathbf{b}_1 + \dots + \mathbb{Z}\mathbf{b}_m$. If $n = m$, the lattice is called a *full-rank* lattice. Let L be a lattice and \mathbf{B} be a basis of L , in which case we write $L = L(\mathbf{B})$. Then the *volume* (also called *covolume* or *determinant*) of L is an invariant of the lattice and is defined as $\text{Vol}(L) = \sqrt{\det(\mathbf{B}^t \mathbf{B})}$. In a random lattice, the *Gaussian heuristic* estimates the length of a shortest non-zero vector of an full-rank m -dimensional lattice L to be

$$\frac{\Gamma(1 + m/2)^{1/m}}{\sqrt{\pi}} \text{Vol}(L)^{1/m} \approx \sqrt{\frac{m}{2\pi e}} \text{Vol}(L)^{1/m}.$$

The quality of a lattice basis $\mathbf{B} = \{\mathbf{b}_1, \dots, \mathbf{b}_m\}$ of a full-rank lattice L such that $\|\mathbf{b}_1\| \leq \|\mathbf{b}_2\| \leq \dots \leq \|\mathbf{b}_m\|$ can be measured by its *root Hermite factor* δ defined via $\|\mathbf{b}_1\| = \delta^m \text{Vol}(L)^{1/m}$. If the basis \mathbf{B} is BKZ reduced with block size β we can assume [Che13] the following relation between the block size and the root Hermite factor

$$\delta = (((\pi\beta)^{1/\beta} \beta) / (2\pi e))^{1/(2(\beta-1))}.$$

In this work, we are concerned with schemes whose security is based on either the LWE or the NTRU assumption.

2.1 LWE

Definition 1 (LWE [Reg05]). Let n, q be positive integers, χ be a probability distribution on \mathbb{Z} and \mathbf{s} be a secret vector in \mathbb{Z}_q^n . We denote the LWE Distribution $L_{\mathbf{s}, \chi, q}$ as the

distribution on $\mathbb{Z}_q^n \times \mathbb{Z}_q$ given by choosing $\mathbf{a} \in \mathbb{Z}_q^n$ uniformly at random, choosing $e \in \mathbb{Z}$ according to χ and considering it as an element of \mathbb{Z}_q , and outputting $(\mathbf{a}, \langle \mathbf{a}, \mathbf{s} \rangle + e) \in \mathbb{Z}_q^n \times \mathbb{Z}_q$.

Decision-LWE is the problem of distinguishing whether samples $\{(\mathbf{a}_i, b_i)\}_{i=1}^m$ are drawn from the LWE distribution $L_{\mathbf{s}, \chi, q}$ or uniformly from $\mathbb{Z}_q^n \times \mathbb{Z}_q$.

Search-LWE is the problem of recovering the vector \mathbf{s} from a collection $\{(\mathbf{a}_i, b_i)\}_{i=1}^m$ of samples drawn according to $L_{\mathbf{s}, \chi, q}$.

As originally defined in [Reg05], χ is a rounded Gaussian distribution, however LWE is typically defined with a discrete Gaussian distribution [LP11]. It was later shown that the secret can also be drawn from the error distribution without any loss in security [ACPS09]. This variant is known as the “normal form”. Many submissions consider alternative distributions for sampling errors and secrets such as small uniform, sparse or binomial distributions.

The *primal-uSVP attack* solves the Search-LWE problem by constructing an integer *embedding lattice* (using either the Kannan [Kan87] or Bai and Galbraith [BG14] embedding), and solving the *unique Shortest Vector Problem* (uSVP). The *dual attack* solves Decision-LWE by reducing it to the Short Integer Solution Problem (SIS) [Ajt96], which in turn is reduced to finding short vectors in the lattice $\{\mathbf{x} \in \mathbb{Z}_q^m \mid \mathbf{x}^t \mathbf{A} \equiv \mathbf{0} \pmod{q}\}$. For either attack, variants are known which exploit the presence of unusually short, or sparse, secret distributions [BG14,CHK⁺17,Alb17] and we consider these variants in this work where applicable.

Related problems. Expanding on the idea of LWE, related problems with a similar structure have been proposed. In particular, in the Ring-LWE [STX09,LPR10] problem polynomials s , a_i and e_i (s and e_i are “short”) are drawn from a ring of the form $\mathcal{R}_q = \mathbb{Z}_q[x]/(\phi)$ for some polynomial ϕ of degree n . Then, given a list of Ring-LWE samples $\{(\mathbf{a}_i, a_i \cdot s + e_i)\}_{i=1}^m$, the Search-RLWE problem is to recover s and the Decision-RLWE problem is to distinguish the list of samples from a list uniformly sampled from $\mathcal{R}_q \times \mathcal{R}_q$. More generally, in the Module-LWE [LS15] problem vectors (of polynomials) \mathbf{a}_i , \mathbf{s} and polynomials e_i are drawn from \mathcal{R}_q^k and \mathcal{R}_q respectively. Search-MLWE is the problem of recovering \mathbf{s} from a set $\{(\mathbf{a}_i, \langle \mathbf{a}_i, \mathbf{s} \rangle + e_i)\}_{i=1}^m$, Decision-MLWE is the problem of distinguishing such a set from a set uniformly sampled from $\mathcal{R}_q^k \times \mathcal{R}_q$.

One can view RLWE and MLWE instances as LWE instances by interpreting the coefficients of elements in \mathcal{R}_q as vectors in \mathbb{Z}_q^n and ignoring the algebraic structure of \mathcal{R}_q . This identification with LWE is the standard approach to costing the complexity of solving RLWE and MLWE due to the absence of known cryptanalytic techniques exploiting algebraic structure. Therefore, we restrict our analysis of solving RLWE and MLWE to the primal and dual attacks mentioned above.

There is also a class of LWE-like problems that replace the addition of a noise term by a deterministic rounding process. For example, an instance of the learning with rounding (LWR) problem is of the form $(\mathbf{a}, b := \lfloor \frac{p}{q} \langle \mathbf{a}, \mathbf{s} \rangle \rfloor) \in \mathbb{Z}_q^n \times \mathbb{Z}_p$. We interpret this as a LWE instance by multiplying the second component by q/p and assuming that $q/p \cdot b = \langle \mathbf{a}, \mathbf{s} \rangle + e$ where e is uniform over the interval $(-q/2p, q/2p]$ [BPR12]. The resulting variance of this

error term can then be calculated as $q^2/(12p^2)$. The same ideas apply to the other variants of LWE that use deterministic rounding error, such as RLWR and MLWR.

Number of samples. LWE as defined in Definition 1 provides the adversary with an arbitrary number of samples. However, this does not hold true for any of the schemes considered in this work. In particular, in the RLWE KEM setting – which is the most common for the schemes considered here – the public key is one RLWE sample $(a, b) = (a, a \cdot s + e)$ for some short s, e and encapsulations consist of two RLWE samples $v \cdot a + e'$ and $v \cdot b + e'' + \tilde{m}$ where \tilde{m} is some encoding of a random string and v, e', e'' are short. Thus, depending on the target, the adversary is given either n or $2n$ plain LWE samples. In a typical setting, though, the adversary does not get to enjoy the full power of having two samples at its disposal, because, firstly, the random string \tilde{m} increases the noise in $v \cdot b + e'' + \tilde{m}$ by a factor of 2 and, secondly, because many schemes drop lower order bits from $v \cdot b + e'' + \tilde{m}$ to save bandwidth. Due to the way decryption works this bit dropping can be quite aggressive, and thus the noise in the second sample can be quite large. In the case of Module-LWE, a ciphertext in transit produces a smaller number of LWE samples, but n samples can still be recovered from the public key. In this work, we consider the n and $2n$ scenarios for all schemes and leave distinguishing which scenario applies to which scheme for future work. We note that, for many schemes, n samples are sufficient to run the most efficient variant of either attack.

2.2 NTRU

Definition 2 (NTRU [HPS96]). Let n, q be positive integers, $\phi \in \mathbb{Z}[x]$ be a monic polynomial of degree n , and $\mathcal{R}_q = \mathbb{Z}_q[x]/(\phi)$. Let $f \in \mathcal{R}_q^\times, g \in \mathcal{R}_q$ be small polynomials (i.e. having small coefficients) and $h = g \cdot f^{-1} \pmod{q}$. Search-NTRU is the problem of recovering f or g given h .

Remark 1. One can exchange the roles of f and g (in the case that g is invertible) by replacing h with $h^{-1} = f \cdot g^{-1} \pmod{q}$, if this leads to a better attack.

The most common ways to choose the polynomial f (or g) are the following. The first is to choose f to have small coefficients (e.g. ternary). The second is to choose F to have small coefficients (e.g. ternary) and to set $f = pF$ for some (small) prime p . The third is to choose F to have small coefficients (e.g. ternary) and to set $f = pF + 1$ for some (small) prime p .

The NTRU problem can be reduced to solving uSVP in the NTRU lattice $L(\mathbf{B})$ generated by the columns of

$$\mathbf{B} = \begin{pmatrix} q\mathbf{I}_n & \mathbf{H} \\ \mathbf{0} & \mathbf{I}_n \end{pmatrix},$$

where \mathbf{H} is the “rotation matrix” of h , see for example [CS97, HPS98]. Indeed, $L(\mathbf{B})$ contains the short vector $(\mathbf{f} | \mathbf{g})^t$, since $hf = g \pmod{q}$ and hence $(\mathbf{f} | \mathbf{g})^t = \mathbf{B}(\mathbf{w} | \mathbf{g})^t$ for some $\mathbf{w} \in \mathbb{Z}^n$. Furthermore, it can be assumed that the vector $(\mathbf{f} | \mathbf{g})^t$ (or a rotation of) is the unique shortest vector in $L(\mathbf{B})$. In addition, if $f = pF$ or $f = pF + 1$ for some small polynomial F then one can construct a similar uSVP lattice that contains $(\mathbf{F}, \mathbf{g})^t$, see

for example [Sch15,Wun16]. Similar to LWE, in order to improve this attack, rescaling and dimension reducing techniques can be applied [MS01]. Note that the dimension of the lattice must be between n and $2n$ by construction. Using such a dimension reducing technique means the primal uSVP attack can be seen as a simplified version of a hybrid attack [HG07,GvWV17,Wun16], where only zeros are guessed. In this work, only this simple version is considered since it can be readily costed using the [APS15] estimator. The dual attack is not considered, as it does not apply.

2.3 Lattice reduction

The techniques outlined above to solve the LWE and NTRU problems rely on lattice reduction, the procedure of generating a “sufficiently orthogonal” basis given the description of a lattice. The lattice reduction algorithm attaining the best theoretical results is Slide reduction [GN08]. In this work, however, we consider the experimentally best performing algorithm, BKZ [SE94,CN11,DT17]. Given a basis for one of the lattices described above, we need to choose the *block size* necessary to successfully recover the shortest vector when running BKZ. This is done following the analysis introduced in [ADPS16, Section 6.3] for the LWE and NTRU primal attacks, and the analysis done in [MR09, Alb17] for the LWE dual attack.

BKZ in turn makes use of an oracle solving the Shortest Vector Problem (or SVP oracle) in a smaller lattice. Several SVP algorithms can be used to instantiate this oracle, the two most efficient are current generations of sieving [BDGL16] or enumeration [MW15]. Since we are considering security in the post-quantum setting, we also have to consider quantum algorithms, which as of writing mainly means to consider potential Grover [Gro96] speed-ups for these algorithms [LMvdP15,ADPS16]. We note that the reported speed-ups of these algorithms are assuming perfect quantum computers that can run arbitrarily long computations and disregard the inherent lack of parallelism in Grover-style search. A more refined understanding of the cost of quantum algorithms for solving SVP is a pressing topic for future research.

3 Proposed schemes

The three tables below specify the parameter sets for the schemes considered. In particular Table 1 gives the parameters for the NTRU-based schemes. Table 2 gives the parameters of the same schemes when converted into the LWE-based context, as detailed in Section 5. Finally, Table 3 gives the parameters for the LWE-based schemes in terms of plain LWE, that is, ignoring the potential ring or module structure.

Throughout, n is the dimension of the problem and q the modulus. The polynomial ϕ , if present, is the polynomial considered to form the ring from which LWE or NTRU elements are drawn. In particular, this ring is $\mathcal{R}_q = \mathbb{Z}_q[x]/(\phi)$, that is, degree n polynomials with coefficients from the integers modulo q quotiented by the ideal generated by ϕ .

In Tables 2 and 3, the value σ is the standard deviation of the distribution χ from which the errors are drawn. This error distribution is not always Gaussian, and our approaches to such cases are explained in Section 5. Note that often in lattice based cryptography

the notation $D_{\Lambda, s, c}$ is used to denote a discrete Gaussian with support the lattice Λ , s a “standard deviation parameter” and c a centre. In this work σ is the standard deviation, explicitly $\sigma = s/\sqrt{2\pi}$. If the secret distribution is “normal”, i.e. in the normal form, this means it is the same distribution as the error, namely χ . If not, the distribution given determines the secret distribution.

Name	n	q	$\ f\ $	$\ g\ $	NIST	Assumption	ϕ	Primitive
NTRUEncrypt	443	2048	16.94	16.94	1	NTRU	$x^n - 1$	KEM, PKE
	743	2048	22.25	22.25	1, 2, 3, 4, 5	NTRU	$x^n - 1$	KEM, PKE
	1024	1073750017	23168.00	23168.00	4, 5	NTRU	$x^n - 1$	KEM, PKE
Falcon	512	12289	91.71	91.71	1	NTRU	$x^n + 1$	SIG
	768	18433	112.32	112.32	2, 3	NTRU	$x^n - x^{n/2} + 1$	SIG
	1024	12289	91.71	91.71	4, 5	NTRU	$x^n + 1$	SIG
NTRU HRSS	700	8192	20.92	20.92	1	NTRU	$\sum_{i=0}^{n-1} x^i$	KEM
NTRU Prime	761	4591	16.91	22.52	5	NTRU	$x^n - x - 1$	KEM
	761	4591	15.81	22.52	5	NTRU	$x^n - x - 1$	KEM
pqNTRUsign	1024	65537	22.38	22.38	1, 2, 3, 4, 5	NTRU	$x^n - 1$	SIG

Table 1: Parameter sets for NTRU-based schemes with secret dimension n , modulo q , small polynomials f and g , and ring $\mathbb{Z}_q[x]/(\phi)$. The NIST column indicates the NIST security category aimed at.

Name	n	q	σ	Secret dist.	NIST	Assumption	ϕ	Primitive
NTRUEncrypt	443	2048	0.80	((−1, 1), 287)	1	NTRU	$x^n - 1$	KEM, PKE
	743	2048	0.82	((−1, 1), 495)	1, 2, 3, 4, 5	NTRU	$x^n - 1$	KEM, PKE
	1024	1073750017	724.00	normal	4, 5	NTRU	$x^n - 1$	KEM, PKE
Falcon	512	12289	4.05	normal	1	NTRU	$x^n + 1$	SIG
	768	18433	4.05	normal	2, 3	NTRU	$x^n - x^{n/2} + 1$	SIG
	1024	12289	2.87	normal	4, 5	NTRU	$x^n + 1$	SIG
NTRU HRSS	700	8192	0.79	((−1, 1), 437)	1	NTRU	$\sum_{i=0}^{n-1} x^i$	KEM
NTRU Prime	761	4591	0.82	((−1, 1), 286)	5	NTRU	$x^n - x - 1$	KEM
	761	4591	0.82	((−1, 1), 250)	5	NTRU	$x^n - x - 1$	KEM
pqNTRUsign	1024	65537	0.70	((−1, 1), 501)	1, 2, 3, 4, 5	NTRU	$x^n - 1$	SIG

Table 2: LWE parameter sets for NTRU-based schemes, with dimension n , modulo q , standard deviation of the error σ , and ring $\mathbb{Z}_q[x]/(\phi)$. The parameters are obtained following Section 5. The NIST column indicates the NIST security category aimed at.

Name	n	k	q	σ	Secret dist.	NIST	Assumption	ϕ	Primitive
KCL-RLWE	1024	—	12289	2.83	normal	5	RLWE	$x^n + 1$	KEM
KCL-MLWE	768	3	7681	1.00	normal	4	MLWE	$x^{n/k} + 1$	KEM
	768	3	7681	2.24	normal	4	MLWE	$x^{n/k} + 1$	KEM
BabyBear	624	2	1024	1.00	normal	2	ILWE	$q^{n/k} - q^{n/(2k)} - 1$	KEM
	624	2	1024	0.79	normal	2	ILWE	$q^{n/k} - q^{n/(2k)} - 1$	KEM
MamaBear	936	3	1024	0.94	normal	5	ILWE	$q^{n/k} - q^{n/(2k)} - 1$	KEM
	936	3	1024	0.71	normal	4	ILWE	$q^{n/k} - q^{n/(2k)} - 1$	KEM

Name	n	k	q	σ	Secret dist.	NIST	Assumption	ϕ	Primitive
PapaBear	1248	4	1024	0.87	normal	5	ILWE	$q^{n/k} - q^{n/(2k)} - 1$	KEM
	1248	4	1024	0.61	normal	5	ILWE	$q^{n/k} - q^{n/(2k)} - 1$	KEM
CRYSTALS-Dilithium	768	3	8380417	3.74	(-6, 6)	1	MLWE	$x^{n/k} + 1$	SIG
	1024	4	8380417	3.16	(-5, 5)	2	MLWE	$x^{n/k} + 1$	SIG
	1280	5	8380417	2.00	(-3, 3)	3	MLWE	$x^{n/k} + 1$	SIG
CRYSTALS-Kyber	512	2	7681	1.58	normal	1	MLWE	$x^{n/k} + 1$	KEM, PKE
	768	3	7681	1.41	normal	3	MLWE	$x^{n/k} + 1$	KEM, PKE
	1024	4	7681	1.22	normal	5	MLWE	$x^{n/k} + 1$	KEM, PKE
Ding Key Exchange	512	—	120883	4.19	normal	1	RLWE	$x^n + 1$	KEM
	1024	—	120883	2.60	normal	3, 5	RLWE	$x^n + 1$	KEM
EMBLEM	770	—	16777216	25.00	(-1, 1)	1	LWE	—	KEM, PKE
	611	—	16777216	25.00	(-2, 2)	1	LWE	—	KEM, PKE
R EMBLEM	512	—	65536	25.00	(-1, 1)	1	RLWE	$x^n + 1 \dagger$	KEM, PKE
	512	—	16384	3.00	(-1, 1)	1	RLWE	$x^n + 1 \dagger$	KEM, PKE
Frodo	640	—	32768	2.75	normal	1	LWE	—	KEM, PKE
	976	—	65536	2.30	normal	3	LWE	—	KEM, PKE
NewHope	512	—	12289	2.00	normal	1	RLWE	$x^n + 1$	KEM, PKE
	1024	—	12289	2.00	normal	5	RLWE	$x^n + 1$	KEM, PKE
HILA5	1024	—	12289	2.83	normal	5	RLWE	$x^n + 1$	KE
KINDI	768	3	16384	2.29	(-4, 4)	2	MLWE	$x^{n/k} + 1$	KEM, PKE
	1024	2	8192	1.12	(-2, 2)	4	MLWE	$x^{n/k} + 1$	KEM, PKE
	1024	2	16384	2.29	(-4, 4)	4	MLWE	$x^{n/k} + 1$	KEM, PKE
	1280	5	16384	1.12	(-2, 2)	5	MLWE	$x^{n/k} + 1$	KEM, PKE
	1536	3	8192	1.12	(-2, 2)	5	MLWE	$x^{n/k} + 1$	KEM, PKE
LAC	512	—	251	0.71	normal	1, 2	PLWE	$x^n + 1$	KE, KEM, PKE
	1024	—	251	0.50	normal	3, 4	PLWE	$x^n + 1$	KE, KEM, PKE
	1024	—	251	0.71	normal	5	PLWE	$x^n + 1$	KE, KEM, PKE
LIMA-2p	1024	—	133121	3.16	normal	3	RLWE	$x^n + 1$	KEM, PKE
	2048	—	184321	3.16	normal	4	RLWE	$x^n + 1$	KEM, PKE
LIMA-sp	1018	—	12521473	3.16	normal	1	RLWE	$\sum_{i=0}^n x^i$	KEM, PKE
	1306	—	48181249	3.16	normal	2	RLWE	$\sum_{i=0}^n x^i$	KEM, PKE
	1822	—	44802049	3.16	normal	3	RLWE	$\sum_{i=0}^n x^i$	KEM, PKE
	2062	—	16900097	3.16	normal	4	RLWE	$\sum_{i=0}^n x^i$	KEM, PKE
Lizard	536	—	2048	1.15	((-1, 1), 140)	1	LWE, LWR	—	KEM, PKE
	663	—	1024	1.15	((-1, 1), 128)	1	LWE, LWR	—	KEM, PKE
	816	—	2048	1.15	((-1, 1), 200)	3	LWE, LWR	—	KEM, PKE
	952	—	2048	1.15	((-1, 1), 200)	3	LWE, LWR	—	KEM, PKE
	1088	—	4096	1.15	((-1, 1), 200)	5	LWE, LWR	—	KEM, PKE
	1300	—	2048	1.15	((-1, 1), 200)	5	LWE, LWR	—	KEM, PKE
RLizard	1024	—	1024	1.15	((-1, 1), 128)	1	RLWE, RLWR	$x^n + 1$	KEM, PKE
	1024	—	2048	1.15	((-1, 1), 264)	3	RLWE, RLWR	$x^n + 1$	KEM, PKE
	2048	—	2048	1.15	((-1, 1), 164)	3	RLWE, RLWR	$x^n + 1$	KEM, PKE
	2048	—	4096	1.15	((-1, 1), 256)	5	RLWE, RLWR	$x^n + 1$	KEM, PKE
LOTUS	576	—	8192	3.00	normal	1, 2	LWE	—	KEM, PKE
	704	—	8192	3.00	normal	3, 4	LWE	—	KEM, PKE
	832	—	8192	3.00	normal	5	LWE	—	KEM, PKE
uRound2.KEM	500	—	16384	2.31	((-1, 1), 74)	1	LWR	—	KEM
	580	—	32768	4.62	((-1, 1), 116)	2	LWR	—	KEM
	630	—	32768	4.62	((-1, 1), 126)	3	LWR	—	KEM
	786	—	32768	4.62	((-1, 1), 156)	4	LWR	—	KEM
	786	—	32768	4.62	((-1, 1), 156)	5	LWR	—	KEM
uRound2.KEM	418	—	4096	4.62	((-1, 1), 66)	1	RLWR	$\sum_{i=0}^n x^i$	KEM
	522	—	32768	36.95	((-1, 1), 78)	2	RLWR	$\sum_{i=0}^n x^i$	KEM
	540	—	16384	18.48	((-1, 1), 96)	3	RLWR	$\sum_{i=0}^n x^i$	KEM
	700	—	32768	36.95	((-1, 1), 112)	4	RLWR	$\sum_{i=0}^n x^i$	KEM
	676	—	32768	36.95	((-1, 1), 120)	5	RLWR	$\sum_{i=0}^n x^i$	KEM
uRound2.PKE	500	—	32768	4.62	((-1, 1), 74)	1	LWR	—	PKE
	585	—	32768	4.62	((-1, 1), 110)	2	LWR	—	PKE
	643	—	32768	4.62	((-1, 1), 114)	3	LWR	—	PKE
	835	—	32768	2.31	((-1, 1), 166)	4	LWR	—	PKE
	835	—	32768	2.31	((-1, 1), 166)	5	LWR	—	PKE

Name	n	k	q	σ	Secret dist.	NIST	Assumption	ϕ	Primitive
uRound2.PKE	420	—	1024	1.15	((−1, 1), 62)	1	RLWR	$\sum_{i=0}^n x^i$	PKE
	540	—	8192	4.62	((−1, 1), 96)	2	RLWR	$\sum_{i=0}^n x^i$	PKE
	586	—	8192	4.62	((−1, 1), 104)	3	RLWR	$\sum_{i=0}^n x^i$	PKE
	708	—	32768	18.48	((−1, 1), 140)	4, 5	RLWR	$\sum_{i=0}^n x^i$	PKE
nRound2.KEM	400	—	3209	3.62	((−1, 1), 72)	1	RLWR	$\sum_{i=0}^n x^i$	KEM
	486	—	1949	2.20	((−1, 1), 96)	2	RLWR	$\sum_{i=0}^n x^i$	KEM
	556	—	3343	3.77	((−1, 1), 88)	3	RLWR	$\sum_{i=0}^n x^i$	KEM
	658	—	1319	1.49	((−1, 1), 130)	4, 5	RLWR	$\sum_{i=0}^n x^i$	KEM
nRound2.PKE	442	—	2659	1.50	((−1, 1), 74)	1	RLWR	$\sum_{i=0}^n x^i$	PKE
	556	—	3343	1.88	((−1, 1), 88)	2	RLWR	$\sum_{i=0}^n x^i$	PKE
	576	—	2309	1.30	((−1, 1), 108)	3	RLWR	$\sum_{i=0}^n x^i$	PKE
	708	—	2837	1.60	((−1, 1), 140)	4, 5	RLWR	$\sum_{i=0}^n x^i$	PKE
LightSaber	512	2	8192	2.31	normal	1	MLWR	$x^{n/k} + 1$	KEM, PKE
Saber	768	3	8192	2.31	normal	3	MLWR	$x^{n/k} + 1$	KEM, PKE
FireSaber	1024	4	8192	2.31	normal	5	MLWR	$x^{n/k} + 1$	KEM, PKE
qTESLA	1024	—	80588881	8.49	normal	1	RLWE	$x^n + 1$	SIG
	2048	—	12681217	8.49	normal	3	RLWE	$x^n + 1$	SIG
	2048	—	27627521	8.49	normal	5	RLWE	$x^n + 1$	SIG
Titanium.PKE	1024	—	86017	1.41	normal	1	PLWE	$x^n + \sum_{i=1}^{n-1} f_i x^i + f_0 *$	PKE
	1280	—	301057	1.41	normal	1	PLWE	$x^n + \sum_{i=1}^{n-1} f_i x^i + f_0 *$	PKE
	1536	—	737281	1.41	normal	3	PLWE	$x^n + \sum_{i=1}^{n-1} f_i x^i + f_0 *$	PKE
	2048	—	1198081	1.41	normal	5	PLWE	$x^n + \sum_{i=1}^{n-1} f_i x^i + f_0 *$	PKE
Titanium.KEM	1024	—	118273	1.41	normal	1	PLWE	$x^n + \sum_{i=1}^{n-1} f_i x^i + f_0 *$	KEM
	1280	—	430081	1.41	normal	1	PLWE	$x^n + \sum_{i=1}^{n-1} f_i x^i + f_0 *$	KEM
	1536	—	783361	1.41	normal	3	PLWE	$x^n + \sum_{i=1}^{n-1} f_i x^i + f_0 *$	KEM
	2048	—	1198081	1.41	normal	5	PLWE	$x^n + \sum_{i=1}^{n-1} f_i x^i + f_0 *$	KEM

Table 3: Parameter sets for LWE-based schemes with secret dimension n , MLWE rank k (if any), modulo q , standard deviation of the error σ . If the LWE samples come from a Ring- or Modulo-LWE instance, the ring is $\mathbb{Z}_q[x]/(\phi)$. The NIST column indicates the NIST security category aimed at. *For Titanium no ring is explicitly chosen but the scheme simultaneously relies on a family of rings where $f_i \in \{-1, 0, 1\}$, $f_0 \in \{-1, 1\}$. †For R EMBLEM we list the parameters from the reference implementation since a suitable ϕ could not be found for those proposed in [SPL⁺17, Table 2].

4 Costing lattice reduction

A variety of approaches are available in the literature to cost the running time of BKZ, e.g. [CN11,APS15,ADPS16]. The main differences between models are whether they are in the sieving or enumeration regime, and how many calls to the SVP oracle are expected to recover a vector of length $\approx \delta^d \text{Vol}(\Lambda)^{1/d}$. A summary of every cost model considered as part of a submission can be found in Table 4.

The most commonly considered SVP oracle is sieving. In the literature, its cost on a random lattice of dimension β is estimated as $2^{c\beta+o(\beta)}$, where $c = 0.292$ classically [BDGL16], with Grover speedups lowering this to $c = 0.265$ [Laa15a]. A “paranoid” lower bound is given in [ADPS16] as $2^{0.2075\beta+o(\beta)}$ based on the “kissing number”. Some authors replace $o(\beta)$ by a constant based on experiments in [Laa15b], some authors omit it. Alternatively, enumeration is considered in some submissions. In particular, it can be found estimated as $2^{c_1\beta \log \beta + c_2\beta + c_3}$ [Kan83,MW15] or as $2^{c_1\beta^2 + c_2\beta + c_3}$ [FP85,CN11], with Grover speedups considered to half the exponent.

With respect to the number of SVP oracle calls required by BKZ, a popular choice was to follow the “Core-SVP” model introduced in [ADPS16], that considers a single call. Alternatively, the number of calls has also been estimated to be β (for example, in [BCD⁺16]) or $8d$ (for example, in [Alb17]), where d is the dimension of the embedding lattice and β is the BKZ block size.

To simplify the identification of every model, we denote models making a single call to the SVP oracle as “Core-”, while those making N calls as “ N -”. We use “Sieve” to refer to the sieving oracle (adding “ $+O(1)$ ” if a constant factor is included), and “Enum” for enumeration. Finally, if a model considers Grover speedups, we prepend “Q-”. For example, using this notation, the CRYSTALS [LDK⁺17,SAB⁺17] submissions consider the Core-Sieve and Q-Core-Sieve cost models, while qTESLA [BAA⁺17] considers Q-8d-Sieve+ $O(1)$.

LOTUS [PHAM17] is the only submission not to provide a closed formula for estimating the cost of BKZ. Given their preference for enumeration, we fit their estimated cost model to a curve of shape $2^{c_1\beta \log \beta + c_2\beta + c_3}$, suggesting their model to be a form of Core-Enum.

The NTRU Prime submission [BCLvV17] utilises the BKZ 2.0 simulator of [CN11] to determine the necessary block size and number of tours to achieve a certain root Hermite factor prior to applying their BKZ cost model. In contrast, we apply the asymptotic formula from [Che13] to relate block size and root Hermite factor, and consider BKZ to complete in 8 tours while matching their cost asymptotic for a single Enumeration call.

5 Estimates

For our experiments we make use of the LWE estimator⁵ from [APS15], which allows one to specify arbitrary cost models for BKZ. We wrap it in a script that loops through the proposed schemes and cost models, estimating the cost of the appropriate variants of the primal and dual lattice attacks. As mentioned previously, for every LWE-based scheme we estimate each attack twice; using n and $2n$ available samples. Our code is available at <https://github.com/estimate-all-the-lwe-ntru-schemes>.

Our results are given in Tables 5, 6, 7, 8, 9, and 10 in Appendix A. A human friendly version of these tables is available at <https://estimate-all-the-lwe-ntru-schemes.github.io>. In particular, the HTML version supports filtering and sorting the table. It also contains SageMath source code snippets to reproduce each entry.

In the following, we illuminate some of the choices and assumptions we made to arrive at our estimates.

Error distributions. While the estimator assumes the distribution of error vector components to be a discrete Gaussian, many submissions use alternatives. Binomial distributions are treated as discrete Gaussians with the corresponding standard deviation. Similarly, bounded uniform distributions $U_{[a,b]}$ are also treated as discrete Gaussians with standard deviation, $\sqrt{\mathbb{V}_{U_{[a,b]}}[\mathbf{e}_i]}$. In the case of LWR rounded continuous uniform error, we use a standard deviation of $\sqrt{q^2/(12p)^2}$ as is considered in [CPL⁺17,DKRV17,GMZB⁺17].

⁵ <https://bitbucket.org/malb/lwe-estimator>, commit 1850100.

Model	Cost	Schemes
Core-Sieve	$2^{0.292\beta}$	CRYSTALS [LDK ⁺ 17,SAB ⁺ 17] Falcon [PFH ⁺ 17] HILA5 [Saa17] KINDI [Ban17] LAC [LLJ ⁺ 17]
Q-Core-Sieve	$2^{0.265\beta}$	New Hope [PAA ⁺ 17] SABER [DKRV17] ThreeBears [Ham17] Titanium [SSZ17] NTRU HRSS [SHRS17] NTRUEncrypt [ZCHW17a] pqNTRUSign [ZCHW17b]
Core-Sieve+ $O(1)$	$2^{0.292\beta+16.4}$	LIMA [SAL ⁺ 17]
Q-Core-Sieve+ $O(1)$	$2^{0.265\beta+16.4}$	
Core-Sieve (min. space)	$2^{0.368\beta}$	NTRU HRSS [SHRS17]
Q-Core-Sieve (min. space)	$2^{0.2975\beta}$	
β -Sieve	$\beta 2^{0.292\beta}$	Frodo [NAB ⁺ 17] Lizard [CPL ⁺ 17]
Q- β -Sieve	$\beta 2^{0.265\beta}$	KCL [ZjGS17] Round2 [GMZB ⁺ 17]
8d-Sieve+ $O(1)$	$8d 2^{0.292\beta+16.4}$	Ding Key Exchange [DTGW17] EMBLEM [SPL ⁺ 17]
Q-8d-Sieve+ $O(1)$	$8d 2^{0.265\beta+16.4}$	qTESLA [BAA ⁺ 17]
Core-Enum+ $O(1)$	$2^{0.187\beta \log \beta - 1.019\beta + 16.1}$	NTRU HRSS [SHRS17] NTRUEncrypt [ZCHW17a] pqNTRUSign [ZCHW17b]
Q-Core-Enum+ $O(1)$	$2^{(0.187\beta \log \beta - 1.019\beta + 16.1)/2}$	NTRU HRSS [SHRS17]
8d-Enum (quadratic fit)+ $O(1)$	$8d 2^{0.000784\beta^2 + 0.366\beta - 0.9}$	NTRU Prime [BCLvV17]
LOTUS-Enum	$2^{0.125\beta \log \beta - 0.755\beta + 2.25}$	LOTUS [PHAM17]

Table 4. Cost models proposed as part of a PQC NIST submission.

Success probability. The estimator supports defining a target success probability for both the primal and dual attack. The only proposal we found that explicitly uses this functionality is LIMA [SAL⁺17], which chooses to use a target success probability of 51%. For our estimates we imposed this to be the estimator’s default 99% for all schemes, since it seems to make little to no difference for the final estimates as amplification in this range is rather cheap.

Known limitations. While the estimator can scale short secret vectors with entries sampled from a bounded uniform distribution, it does not attempt to shift secret vectors whose entries have unbalanced bounds to optimise the scaling. Similarly, it does not attempt to guess entries of such secrets to use a hybrid combinatorial approach. We note, however, that only the KINDI submission [Ban17] uses such a secret vector distribution. In this case, the deviation from a distribution centred at zero is small and we thus ignore it.

NTRU. For estimating NTRU-based schemes, we also utilise the LWE estimator as described here to evaluate the primal attack (and its improvements, i.e. the simplified hybrid attack) on NTRU. In particular, we cast NTRU as a uSVP instance but note that when no guessing is performed, the geometry of the NTRU-lattice can possibly be exploited as in [KF17]. The dual attack is not considered, as it does not apply. Let $(\mathbf{f}, \mathbf{g}) \in \mathbb{Z}^{2n}$ be the secret NTRU vector. We treat \mathbf{f} as the LWE secret and \mathbf{g} as the LWE error (or vice versa, as their roles can be swapped). The LWE secret dimension n is set to the degree of the NTRU polynomial ϕ . The standard deviation of the LWE error distribution is set to $\|\mathbf{g}\|/\sqrt{n}$. The LWE modulus q is set to the NTRU modulus. The secret distribution is set to the distribution of \mathbf{f} . We limit the number of LWE samples to n . The estimator is set to consider the n rotations of \mathbf{g} when estimating the cost of the primal attack on NTRU.

Beyond key recovery. We consider key recovery attacks on all schemes. In the case of LWE-based schemes, we also consider message recovery attacks by setting the number of samples to be $m = 2n$ and trying to recover the ephemeral secret key set as part of key encapsulation. For the NTRU-based submissions, the authors do not or only briefly consider message recovery attacks and do not take them into account when evaluating the security of their schemes. We here, too, restrict our focus to key recovery attacks on NTRU-based schemes.

In the case of signatures, it is also possible to attempt forgery attacks. All four lattice-based signatures schemes submitted to the NIST process claim that the problem of forging a signature is strictly harder than that of recovering the signing key. In particular Dilithium and pqNTRUsign provide analyses which explicitly determine that larger BKZ block sizes are required for signature forgery than key recovery. Falcon argues similarly without giving explicit block sizes and qTESLA presents a tight reduction in the QROM from the RLWE problem to signature forgery, in particular from exactly the RLWE problem one would have to solve to yield the signing key. As such, since one may trivially forge signatures given possession of the signing key, forgery attacks are not considered further in their security analyses.

Several complications arise when attempting to estimate the complexity of signature forgery compared to key recovery. These include the requirement for a signature forging adversary

to satisfy the conditions in the Verify algorithm, which for the four proposed schemes consists of solving different, sometimes not well studied, problems, such as the SIS problem in the ℓ_∞ -norm for Dilithium and qTESLA and the modular equivalence required between the message and signature in pqNTRUSign. In attempts to determine how one might straightforwardly estimate the complexity of signature forgery against the Dilithium and qTESLA schemes, custom analysis was required which was heavily dependent on the intricacies of the scheme in question, ruling out a scheme-agnostic approach to security estimation in the case of signature forgeries.

6 Discussion

Our data highlights that cost models for lattice reduction do not necessarily preserve the ordering of the schemes under consideration. That is, under one cost model some scheme A can be considered harder to break than a scheme B, while under another cost model scheme B appears harder to break.

An example for the schemes EMBLEM and uRound2.KEM was highlighted in [Ber18]. Consider the EMBLEM parameter set with $n = 611$ and the uRound2.KEM parameter set with $n = 500$. In the Core-Sieve cost model, the cost of the primal attack for EMBLEM-611 is estimated as 76 bits of security and for uRound2.KEM-500 as 84 bits. For the same attack in the Core-Enum+ $O(1)$ cost model, the cost is estimated for EMBLEM-611 as 142 bits of security and for uRound2.KEM-500 as 126 bits⁶. Similar swaps can be observed for several other pairs of schemes and cost models. In most cases the estimated bit securities of the two schemes are very close to each other (say, 1–2 bits) and thus a swap of ordering does not fundamentally alter our understanding of their relative security as these estimates are typically derived by heuristically searching through the space of possible parameters and computing with limited precision. In some cases, though, such as the one highlighted in [Ber18], the differences in security estimates can be significant. There are two classes of such cases.

Sparse secrets. The first class of cases involves instances with sparse secrets. The LWE estimator applies hybrid strategies when costing the dual attack (cf. [Alb17]) and the primal attack. The basic idea is that for a sparse secret, many of the entries of the secret vector are zero, and hence can be ignored. We guess τ entries to be zero, and drop the corresponding columns from the attack lattice. In dropping τ columns from a n -dimensional LWE instance, we obtain a $(n - \tau)$ -dimensional LWE instance with the same secret distribution. On the one hand, there is a probability of failure when guessing which columns to drop. On the other hand, the $(n - \tau)$ -dimensional LWE instance is easier to solve, and in particular requires a smaller BKZ blocksize β . The trade-off between running BKZ on smaller lattices and having to run it multiple times can correspond to an overall lower expected attack cost. This probability of failure when guessing secret entries does not depend on the cost model, but rather on the weight and dimension of the secret, making this kind of attack more effective for very sparse secrets. In the case of comparing an enumeration cost model versus a sieving one, we have that the cost of enumeration is fitted as $2^{\Theta(\beta \log \beta)}$ or $2^{\Theta(\beta^2)}$ whereas the cost of sieving is $2^{\Theta(\beta)}$. The steeper curve for enumeration means that as we

⁶ Any discrepancies in value from those cited in [Ber18] are due to rounding introduced to the estimator output since.

increase τ , and hence decrease β , savings are potentially larger, justifying a larger number τ of entries guessed. Concretely, the computed optimal guessing dimension τ can be much larger than in the sieving regime. This phenomenon can also be observed when comparing two different sieving models or two different enumeration models.

In Figure 1, we illustrate this for the EMBLEM and uRound2.KEM example. EMBLEM does not have a sparse secret, while uRound2.KEM does (see Table 3). For EMBLEM the best guessing dimension, giving the lowest overall cost, is $\tau = 0$ in both cost models. For uRound2.KEM, we see that the optimal guessing dimension varies depending on the cost model. In the Core-Sieve cost model, the lowest overall expected cost is achieved for $\tau = 1$ while in the Core-Enum+ $O(1)$ model the optimal choice is $\tau = 197$.




Fig. 1. Estimates of the cost of the primal attack when dropping η columns for the schemes EMBLEM-611 and uRound2.KEM-500 using cost models Core-Enum+ $O(1)$ and Core-Sieve.

Dual attack. The second class of cases can be observed for the dual attack. Recall that the dual attack runs lattice reduction to find a small vector \mathbf{v} in the scaled dual lattice of \mathbf{A} and then considers $\langle \mathbf{v}, \mathbf{b} \rangle$ which is short when \mathbf{A}, \mathbf{b} is an LWE sample. In more detail, the advantage of distinguishing $\langle \mathbf{v}, \mathbf{b} \rangle$ is $\varepsilon = \exp(-\delta^{2d} \cdot c_0)$ for some constant c_0 depending on the instance and with d being the dimension of the lattice under consideration [LP11]. To amplify this advantage to a constant advantage, we have to repeat the experiment roughly $1/\varepsilon^2$ times. Thus, the overall cost of the attack is $\approx C(\beta)/\exp(-\delta^{2d} \cdot c_0)^2$ where $C(\beta)$ is the cost of lattice reduction with block size β . In the sieving regime $C(\beta) \approx 2^{c_1 \beta}$ in the enumeration regime we have $C(\beta) \approx \beta^{c_2 \beta}$ (from enumeration costing $2^{\Theta(\beta \log \beta)}$). For large β we have $\delta \approx \beta^{1/2\beta}$ [Che13] (cf. Section 2), and thus we have overall log costs of

roughly $c_1 \beta + 2 \log_2(e) \beta^{d/\beta} c_0$ resp. $c_2 \beta \log(\beta) + 2 \log_2(e) \beta^{d/\beta} c_0$. We wish to minimise both expressions (under the constraint that $\beta \geq 2$) and the optimal trade-off depends on c_0 , c_1 and c_2 . In particular, the optimal β in the sieving regime is not necessarily the optimal β in the enumeration regime.

We stress that while the above discussion gives an account of why our estimates show the behaviour we observe, it leaves the fundamental question partially unanswered: how does the security of the schemes considered in this work compare to one another. As it stands, the answer to this question depends on which between enumeration and sieving is the *correct* regime to consider for a given block size, i.e. from which dimension sieving beats enumeration. Thus, resolving these questions is a pressing concern.

Quantum security. In [Nat16], NIST defines five security categories that schemes should target in the presence of an adversary with access to a quantum computing device. They furthermore propose as a plausible assumption that such a device would support a maximum quantum circuit depth $\text{MAXDEPTH} \leq 2^{96}$ (although they do not mention a preferred set of universal gates to consider). Since concrete designs for large scale quantum computers are still an open research problem, not all schemes take this limitation into account, and many opt for using an asymptotic Q- cost model that considers the best known theoretical Grover speed-up, resulting in overestimates of the adversary’s power.

This use of Q- models introduces a further difficulty when trying to compare schemes based on the outputs of the [APS15] estimator. For example, the security definition of Category 1 says that attacks on schemes should be as hard as AES128 key recovery. Some schemes address this by tuning their parameters to match a Q- hardness $\geq 2^{128}$, in the vein of “128 bit security”. On the other hand, other schemes claiming the same category match Q- hardness $\geq 2^{64}$ since key recovery on AES128 can be considered as a search problem in an unstructured list of size 2^{128} , which Grover can complete in $O(2^{n/2})$ time. This results in schemes with rather different cycle counts and memory usage claiming the same security category, as can be seen from the “claimed security” column in the estimates table.

References

- ACFP14. Martin R. Albrecht, Carlos Cid, Jean-Charles Faugère, and Ludovic Perret. Algebraic algorithms for LWE. Cryptology ePrint Archive, Report 2014/1018, 2014. <http://eprint.iacr.org/2014/1018>.
- ACPS09. Benny Applebaum, David Cash, Chris Peikert, and Amit Sahai. Fast cryptographic primitives and circular-secure encryption based on hard learning problems. In Shai Halevi, editor, *CRYPTO 2009*, volume 5677 of *LNCS*, pages 595–618. Springer, Heidelberg, August 2009.
- ADPS16. Erdem Alkim, Léo Ducas, Thomas Pöppelmann, and Peter Schwabe. Post-quantum key exchange - A new hope. In Thorsten Holz and Stefan Savage, editors, *25th USENIX Security Symposium, USENIX Security 16*, pages 327–343. USENIX Association, 2016.
- AFFP14. Martin R. Albrecht, Jean-Charles Faugère, Robert Fitzpatrick, and Ludovic Perret. Lazy modulus switching for the BKW algorithm on LWE. In Hugo Krawczyk, editor, *PKC 2014*, volume 8383 of *LNCS*, pages 429–445. Springer, Heidelberg, March 2014.
- AG11. Sanjeev Arora and Rong Ge. New algorithms for learning in presence of errors. In Luca Aceto, Monika Henzinger, and Jiri Sgall, editors, *ICALP 2011, Part I*, volume 6755 of *LNCS*, pages 403–415. Springer, Heidelberg, July 2011.
- AGVW17. Martin R. Albrecht, Florian Göpfert, Fernando Virdia, and Thomas Wunderer. Revisiting the expected cost of solving uSVP and applications to LWE. In Tsuyoshi Takagi and Thomas Peyrin, editors, *ASIACRYPT 2017, Part I*, volume 10624 of *LNCS*, pages 297–322. Springer, Heidelberg, December 2017.
- Ajt96. Miklós Ajtai. Generating hard instances of lattice problems (extended abstract). In *28th ACM STOC*, pages 99–108. ACM Press, May 1996.
- AKS01. Miklós Ajtai, Ravi Kumar, and D. Sivakumar. A sieve algorithm for the shortest lattice vector problem. In *33rd ACM STOC*, pages 601–610. ACM Press, July 2001.
- Alb17. Martin R. Albrecht. On dual lattice attacks against small-secret LWE and parameter choices in HELib and SEAL. In Jean-Sébastien Coron and Jesper Buus Nielsen, editors, *EUROCRYPT 2017, Part II*, volume 10211 of *LNCS*, pages 103–129. Springer, Heidelberg, May 2017.
- APS15. Martin R Albrecht, Rachel Player, and Sam Scott. On the concrete hardness of Learning with Errors. *Journal of Mathematical Cryptology*, 9(3):169–203, 2015.
- BAA⁺17. Nina Bindel, Sedat Akleylik, Erdem Alkim, Paulo S. L. M. Barreto, Johannes Buchmann, Edward Eaton, Gus Gutoski, Juliane Kramer, Patrick Longa, Harun Polat, Jefferson E. Ricardini, and Gustavo Zanon. qtesla. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- Ban17. Rachid El Bansarkhani. Kindi. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- BCD⁺16. Joppe W. Bos, Craig Costello, Léo Ducas, Ilya Mironov, Michael Naehrig, Valeria Nikolaenko, Ananth Raghunathan, and Douglas Stebila. Frodo: Take off the ring! Practical, quantum-secure key exchange from LWE. In Edgar R. Weippl, Stefan Katzenbeisser, Christopher Kruegel, Andrew C. Myers, and Shai Halevi, editors, *ACM CCS 16*, pages 1006–1018. ACM Press, October 2016.
- BCLvV17. Daniel J. Bernstein, Chitchanok Chuengsatiansup, Tanja Lange, and Christine van Vredendaal. Ntru prime. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- BDGL16. Anja Becker, Léo Ducas, Nicolas Gama, and Thijss Laarhoven. New directions in nearest neighbor searching with applications to lattice sieving. In Robert Krauthgamer, editor, *27th SODA*, pages 10–24. ACM-SIAM, January 2016.
- Ber17. Daniel J. Bernstein. Table of ciphertext and key sizes for the NIST candidate algorithms. Available at <https://groups.google.com/a/list.nist.gov/d/msg/pqc-forum/11DNioOsKq4/xjqy4K6SAgAJ>, 2017.
- Ber18. Daniel J. Bernstein, 2018. Comment on PQC forum in response to an earlier version of this work. Available at https://groups.google.com/a/list.nist.gov/d/msg/pqc-forum/h4_LCVNejCI/FyV5hgnqBAAJ.
- BG14. Shi Bai and Steven D. Galbraith. Lattice decoding attacks on binary LWE. In Willy Susilo and Yi Mu, editors, *ACISP 14*, volume 8544 of *LNCS*, pages 322–337. Springer, Heidelberg, July 2014.
- BPR12. Abhishek Banerjee, Chris Peikert, and Alon Rosen. Pseudorandom functions and lattices. In David Pointcheval and Thomas Johansson, editors, *EUROCRYPT 2012*, volume 7237 of *LNCS*, pages 719–737. Springer, Heidelberg, April 2012.

- Che13. Yuanmi Chen. *Réduction de réseau et sécurité concrète du chiffrement complètement homomorphe*. PhD thesis, Paris 7, 2013.
- CHK⁺17. Jung Hee Cheon, Kyoohyung Han, Jinsu Kim, Changmin Lee, and Yongha Son. A practical post-quantum public-key cryptosystem based on spLWE . In Seokhie Hong and Jong Hwan Park, editors, *ICISC 16*, volume 10157 of *LNCS*, pages 51–74. Springer, Heidelberg, November / December 2017.
- CN11. Yuanmi Chen and Phong Q. Nguyen. BKZ 2.0: Better lattice security estimates. In Dong Hoon Lee and Xiaoyun Wang, editors, *ASIACRYPT 2011*, volume 7073 of *LNCS*, pages 1–20. Springer, Heidelberg, December 2011.
- CPL⁺17. Jung Hee Cheon, Sangjoon Park, Joohee Lee, Duhyeong Kim, Yongsoo Song, Seungwan Hong, Dongwoo Kim, Jinsu Kim, Seong-Min Hong, Aaram Yun, Jeongsu Kim, Haeryong Park, Eunyoung Choi, Kimoond kim, Jun-Sub Kim, and Jieun Lee. Lizard. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- CS97. Don Coppersmith and Adi Shamir. Lattice attacks on NTRU. In Walter Fumy, editor, *EUROCRYPT'97*, volume 1233 of *LNCS*, pages 52–61. Springer, Heidelberg, May 1997.
- DKRV17. Jan-Pieter D’Anvers, Angshuman Karmakar, Sujoy Sinha Roy, and Frederik Vercauteren. Saber. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- DT17. Fplll Development Team. fplll, a lattice reduction library. Available at <https://github.com/fplll/fplll>, 2017.
- DTGW17. Jintai Ding, Tsuyoshi Takagi, Xinwei Gao, and Yuntao Wang. Ding key exchange. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- FP85. U. Fincke and M. Pohst. Improved methods for calculating vectors of short length in a lattice, including a complexity analysis. *Mathematics of Computation*, 44(170):463–463, May 1985.
- Fuj17. Ryo Fujita. Table of underlying problems of the NIST candidate algorithms. Available at <https://groups.google.com/a/list.nist.gov/d/msg/pqc-forum/11DNio0sKq4/7zXvtfdBQAJ>, 2017.
- GJMS17. Qian Guo, Thomas Johansson, Erik Mårtensson, and Paul Stankovski. Coded-BKW with sieving. In Tsuyoshi Takagi and Thomas Peyrin, editors, *ASIACRYPT 2017, Part I*, volume 10624 of *LNCS*, pages 323–346. Springer, Heidelberg, December 2017.
- GJS15. Qian Guo, Thomas Johansson, and Paul Stankovski. Coded-BKW: Solving LWE using lattice codes. In Rosario Gennaro and Matthew J. B. Robshaw, editors, *CRYPTO 2015, Part I*, volume 9215 of *LNCS*, pages 23–42. Springer, Heidelberg, August 2015.
- GMZB⁺17. Oscar Garcia-Morchon, Zhenfei Zhang, Sauvik Bhattacharya, Ronald Rietman, Ludo Tolhuizen, and Jose-Luis Torre-Arce. Round2. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- GN08. Nicolas Gama and Phong Q. Nguyen. Finding short lattice vectors within Mordell’s inequality. In Richard E. Ladner and Cynthia Dwork, editors, *40th ACM STOC*, pages 207–216. ACM Press, May 2008.
- Gro96. Lov K. Grover. A fast quantum mechanical algorithm for database search. In *28th ACM STOC*, pages 212–219. ACM Press, May 1996.
- GvVW17. Florian Göpfert, Christine van Vredendaal, and Thomas Wunderer. A hybrid lattice basis reduction and quantum search attack on LWE. In *Post-Quantum Cryptography - 8th International Workshop, PQCrypto 2017, Utrecht, The Netherlands, June 26–28, 2017, Proceedings*, pages 184–202, 2017.
- Ham17. Mike Hamburg. Three bears. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- HG07. Nick Howgrave-Graham. A hybrid lattice-reduction and meet-in-the-middle attack against NTRU. In Alfred Menezes, editor, *CRYPTO 2007*, volume 4622 of *LNCS*, pages 150–169. Springer, Heidelberg, August 2007.
- HPS96. Jeffery Hoffstein, Jill Pipher, and Joseph H. Silverman. NTRU: A new high speed public-key cryptosystem. Technical report, Draft distributed at CRYPTO96, 1996. available at <https://cdn2.hubspot.net/hubfs/49125/downloads/ntru-orig.pdf>.
- HPS98. Jeffrey Hoffstein, Jill Pipher, and Joseph H. Silverman. NTRU: A ring-based public key cryptosystem. In *Algorithmic Number Theory, Third International Symposium, ANTS-III, Portland, Oregon, USA, June 21–25, 1998, Proceedings*, pages 267–288, 1998.
- Kan83. Ravi Kannan. Improved algorithms for integer programming and related lattice problems. In *15th ACM STOC*, pages 193–206. ACM Press, April 1983.

- Kan87. Ravi Kannan. Minkowski’s convex body theorem and integer programming. *Mathematics of Operations Research*, pages 415–440, 1987.
- KF15. Paul Kirchner and Pierre-Alain Fouque. An improved BKW algorithm for LWE with applications to cryptography and lattices. In Rosario Gennaro and Matthew J. B. Robshaw, editors, *CRYPTO 2015, Part I*, volume 9215 of *LNCS*, pages 43–62. Springer, Heidelberg, August 2015.
- KF17. Paul Kirchner and Pierre-Alain Fouque. Revisiting lattice attacks on overstretched NTRU parameters. In Jean-Sébastien Coron and Jesper Buus Nielsen, editors, *EUROCRYPT 2017, Part I*, volume 10210 of *LNCS*, pages 3–26. Springer, Heidelberg, May 2017.
- Laa15a. Thijs Laarhoven. *Search problems in cryptography: From fingerprinting to lattice sieving*. PhD thesis, Eindhoven University of Technology, 2015.
- Laa15b. Thijs Laarhoven. Sieving for shortest vectors in lattices using angular locality-sensitive hashing. In Rosario Gennaro and Matthew J. B. Robshaw, editors, *CRYPTO 2015, Part I*, volume 9215 of *LNCS*, pages 3–22. Springer, Heidelberg, August 2015.
- LDK⁺17. Vadim Lyubashevsky, Leo Ducas, Eike Kiltz, Tancrede Lepoint, Peter Schwabe, Gregor Seiler, and Damien Stehlé. Crystals-dilithium. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- LLJ⁺17. Xianhui Lu, Yamin Liu, Dingding Jia, Haiyang Xue, Jingnan He, and Zhenfei Zhang. Lac. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- LMvdP15. Thijs Laarhoven, Michele Mosca, and Joop van de Pol. Finding shortest lattice vectors faster using quantum search. *Designs, Codes and Cryptography*, 77(2–3):375–400, December 2015.
- LP11. Richard Lindner and Chris Peikert. Better key sizes (and attacks) for LWE-based encryption. In Aggelos Kiayias, editor, *CT-RSA 2011*, volume 6558 of *LNCS*, pages 319–339. Springer, Heidelberg, February 2011.
- LPR10. Vadim Lyubashevsky, Chris Peikert, and Oded Regev. On ideal lattices and learning with errors over rings. In Henri Gilbert, editor, *EUROCRYPT 2010*, volume 6110 of *LNCS*, pages 1–23. Springer, Heidelberg, May 2010.
- LS15. Adeline Langlois and Damien Stehlé. Worst-case to average-case reductions for module lattices. *Designs, Codes and Cryptography*, 75(3):565–599, June 2015.
- Moo17. Dustin Moody. The NIST post quantum cryptography “competition”. Available at <https://csrc.nist.gov/CSRC/media/Projects/Post-Quantum-Cryptography/documents/asiacrypt-2017-moody-pqc.pdf>, 2017.
- MR09. Daniele Micciancio and Oded Regev. Lattice-based cryptography. In Daniel J. Bernstein, Johannes Buchmann, and Erik Dahmen, editors, *Post-Quantum Cryptography*, pages 147–191. Springer, Heidelberg, Berlin, Heidelberg, New York, 2009.
- MS01. Alexander May and Joseph H. Silverman. Dimension reduction methods for convolution modular lattices. In *Cryptography and Lattices, International Conference, CaLC 2001, Providence, RI, USA, March 29-30, 2001, Revised Papers*, pages 110–125, 2001.
- MW15. Daniele Micciancio and Michael Walter. Fast lattice point enumeration with minimal overhead. In Piotr Indyk, editor, *26th SODA*, pages 276–294. ACM-SIAM, January 2015.
- NAB⁺17. Michael Naehrig, Erdem Alkim, Joppe Bos, Leo Ducas, Karen Easterbrook, Brian LaMacchia, Patrick Longa, Ilya Mironov, Valeria Nikolaenko, Christopher Peikert, Ananth Raghunathan, and Douglas Stebila. Frodokem. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- Nat16. National Institute of Standards and Technology. Submission requirements and evaluation criteria for the Post-Quantum Cryptography standardization process. <http://csrc.nist.gov/groups/ST/post-quantum-crypto/documents/call-for-proposals-final-dec-2016.pdf>, December 2016.
- Nat17. National Institute of Standards and Technology. Performance testing of the NIST candidate algorithms. Available at <https://drive.google.com/file/d/1g-10bPa-tReBD0Frgnz9aZXp006PunUa/view>, 2017.
- PAA⁺17. Thomas Poppelmann, Erdem Alkim, Roberto Avanzi, Joppe Bos, Leo Ducas, Antonio de la Piedra, Peter Schwabe, and Douglas Stebila. Newhope. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- PFH⁺17. Thomas Prest, Pierre-Alain Fouque, Jeffrey Hoffstein, Paul Kirchner, Vadim Lyubashevsky, Thomas Pörrin, Thomas Ricosset, Gregor Seiler, William Whyte, and Zhenfei Zhang. Falcon. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.

- PHAM17. Le Trieu Phong, Takuya Hayashi, Yoshinori Aono, and Shiho Moriai. Lotus. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- Reg05. Oded Regev. On lattices, learning with errors, random linear codes, and cryptography. In Harold N. Gabow and Ronald Fagin, editors, *37th ACM STOC*, pages 84–93. ACM Press, May 2005.
- Saa17. Markku-Juhani O. Saarinen. Hila5. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- SAB⁺17. Peter Schwabe, Roberto Avanzi, Joppe Bos, Leo Ducas, Eike Kiltz, Tancrede Lepoint, Vadim Lyubashevsky, John M. Schanck, Gregor Seiler, and Damien Stehle. Crystals-kyber. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- SAL⁺17. Nigel P. Smart, Martin R. Albrecht, Yehuda Lindell, Emmanuela Orsini, Valery Osheter, Kenny Paterson, and Guy Peer. Lima. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- Sch15. John Schanck. Practical lattice cryptosystems: NTRUEncrypt and NTRUMLS. Master’s thesis, University of Waterloo, 2015.
- SE94. Claus-Peter Schnorr and M. Euchner. Lattice basis reduction: Improved practical algorithms and solving subset sum problems. *Math. Program.*, 66:181–199, 1994.
- SHRS17. John M. Schanck, Andreas Hulsing, Joost Rijneveld, and Peter Schwabe. Ntru-hrss-kem. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- SPL⁺17. Minhye Seo, Jong Hwan Park, Dong Hoon Lee, Suhr Kim, and Seung-Joon Lee. Emblem and r.emblem. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- SSTX09. Damien Stehlé, Ron Steinfeld, Keisuke Tanaka, and Keita Xagawa. Efficient public key encryption based on ideal lattices. In Mitsuru Matsui, editor, *ASIACRYPT 2009*, volume 5912 of *LNCS*, pages 617–635. Springer, Heidelberg, December 2009.
- SSZ17. Ron Steinfeld, Amin Sakzad, and Raymond K. Zhao. Titanium. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- Wun16. Thomas Wunderer. Revisiting the hybrid attack: Improved analysis and refined security estimates. Cryptology ePrint Archive, Report 2016/733, 2016. <http://eprint.iacr.org/2016/733>.
- ZCHW17a. Zhenfei Zhang, Cong Chen, Jeffrey Hoffstein, and William Whyte. Ntruencryt. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- ZCHW17b. Zhenfei Zhang, Cong Chen, Jeffrey Hoffstein, and William Whyte. pqntrusign. Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.
- ZjGS17. Yunlei Zhao, Zhengzhong Jin, Boru Gong, and Guangye Sui. Kcl (pka okcn/akcn/cnke). Technical report, National Institute of Standards and Technology, 2017. available at <https://csrc.nist.gov/projects/post-quantum-cryptography/round-1-submissions>.

A Tables of Security estimates

We present the security estimates obtained. A human friendly version of these tables can be found at <https://estimate-all-the-lwe-ntru-schemes.github.io/>.

Scheme	Claim	NIST	Attack	Q-Core-Sieve + O(1)	Q-Core-Sieve + O(1)	Q-Core-Sieve (min space)	Q- β -Sieve + O(1)	Q-8d-Sieve + O(1)	Core-Sieve + O(1)	Core-Sieve (min space)	β -Sieve	8d-Sieve + O(1)
KINDI-1280-1.12-16384	251.00	5 primal	264	280	297	274	295	291	307	367	301	322
KINDI-1536-1.12-8192	330.00	5 dual	408	421	449	416	433	447	454	540	449	469
KINDI-1536-1.12-8192	330.00	5 primal	352	368	396	363	383	388	404	489	399	419
LAC-0512-0.71-251	128.00	1, 2 dual	178	190	195	183	199	191	203	231	197	213
LAC-0512-0.71-251	128.00	1, 2 primal	136	152	145	145	165	165	165	188	158	179
LAC-1024-0.50-251	192.00	3, 4 dual	327	343	354	337	348	349	363	422	358	378
LAC-1024-0.50-251	192.00	3, 4 primal	262	278	294	271	292	288	304	363	398	318
LAC-1024-0.71-251	256.00	5 dual	364	380	408	374	394	401	414	484	411	416
LAC-1024-0.71-251	256.00	5 primal	293	309	329	303	323	323	339	407	333	353
LIMA-2p-1024-3.16-133121	208.80	3 dual	237	246	258	240	260	253	269	310	263	281
LIMA-2p-1024-3.16-133121	208.80	3 primal	198	214	222	207	228	218	234	274	227	248
LIMA-2p-2048-3.16-184321	444.50	4 dual	493	509	554	504	525	544	560	652	554	575
LIMA-2p-2048-3.16-184321	444.50	4 primal	430	446	482	440	461	473	489	596	484	505
LIMA-sp-1018-3.16-12521473	139.20	1 dual	143	159	160	152	170	157	170	191	164	184
LIMA-sp-1018-3.16-12521473	139.20	1 primal	125	141	140	133	155	137	153	173	146	168
LIMA-sp-1306-3.16-48181249	167.80	2 dual	174	187	190	183	200	188	203	234	196	218
LIMA-sp-1306-3.16-48181249	167.80	2 primal	153	169	171	162	183	168	184	212	177	199
LIMA-sp-18922-3.16-44802049	247.90	3 dual	259	275	290	269	290	285	301	350	350	316
LIMA-sp-18922-3.16-44802049	247.90	3 primal	233	249	261	243	264	257	273	323	326	388
LIMA-sp-2062-3.16-16900097	303.50	4 dual	333	341	360	341	352	353	369	445	363	353
LIMA-sp-2062-3.16-16900097	303.50	4 primal	291	307	327	302	323	321	337	405	331	353
LOTUS-0576-3.00-8192	—	1, 2 dual	182	194	200	188	204	196	207	234	203	220
LOTUS-0576-3.00-8192	—	1, 2 primal	143	159	160	152	172	157	173	198	166	187
LOTUS-0704-3.00-8192	—	3, 4 dual	225	237	246	235	248	241	257	295	251	265
LOTUS-0704-3.00-8192	—	3, 4 primal	180	196	203	190	210	199	215	250	208	229
LOTUS-0832-3.00-8192	—	5 dual	270	281	298	275	295	293	307	348	302	313
LOTUS-0832-3.00-8192	—	5 primal	219	235	246	229	249	241	257	304	251	271
LightSaber-0512-2.31-8192	115.00	1 dual	153	159	169	161	169	169	170	188	169	182
LightSaber-0512-2.31-8192	115.00	1 primal	114	130	128	123	144	142	142	158	135	155
Lizard-0536-1.15-2048	130.00	1 dual	127	140	139	134	150	137	149	162	144	159
Lizard-0536-1.15-2048	130.00	1 primal	105	121	118	114	135	116	132	146	125	145
Lizard-0663-1.15-1024	147.00	1 dual	171	184	186	177	193	182	197	220	194	205
Lizard-0663-1.15-1024	147.00	1 primal	145	161	163	154	174	160	176	201	169	189
Lizard-0816-1.15-2048	195.00	3 dual	202	215	222	209	226	219	230	262	225	243
Lizard-0816-1.15-2048	195.00	3 primal	173	189	194	182	203	191	207	240	200	220
Lizard-0816-1.15-2048	195.00	3 dual	236	248	256	242	258	252	268	302	264	278
Lizard-0952-1.15-2048	195.00	3 primal	204	220	229	213	234	225	241	283	234	255
Lizard-0952-1.15-2048	257.00	5 dual	248	259	266	254	269	264	282	318	271	291
Lizard-1088-1.15-4096	257.00	5 primal	218	234	244	227	248	240	256	302	249	270
Lizard-1088-1.15-4096	291.00	5 dual	313	323	342	320	337	348	399	345	376	394
Lizard-1300-1.15-2048	291.00	5 primal	283	299	317	293	313	312	328	381	342	344
ManaBear-0936-0.71-1024	219.00	4 dual	273	281	298	275	295	292	308	352	302	317
ManaBear-0936-0.71-1024	219.00	4 primal	220	236	247	230	251	243	259	306	253	273
ManaBear-0936-0.94-1024	237.00	5 dual	294	310	327	304	321	321	331	387	331	341
ManaBear-0936-0.94-1024	237.00	5 primal	239	255	269	249	269	264	280	332	273	294

Scheme	Claim	NIST	Attack	Q-Core-Sieve + O(1)	Q-Core-Sieve (min space)	Q- β -Sieve + O(1)	Q-8d-Sieve + O(1)	Core-Sieve + O(1)	Core-Sieve (min space)	β -Sieve	8d-Sieve + O(1)
NewHope-0512-2.00-12289	101.00	1	dual	137	144	143	138	155	141	154	148
NewHope-0512-2.00-12289	101.00	1	primal	103	119	115	111	132	113	129	143
NewHope-1024-2.00-12289	233.00	5	dual	280	294	313	289	309	307	323	371
NewHope-1024-2.00-12289	233.00	5	primal	235	251	264	245	266	259	275	327
PapaBear-1248-0.61-1024	292.00	5	dual	350	366	388	360	380	381	397	462
PapaBear-1248-0.61-1024	292.00	5	primal	293	309	329	303	323	323	339	407
PapaBear-1248-0.87-1024	320.00	5	dual	390	406	437	400	420	429	445	525
PapaBear-1248-0.87-1024	320.00	5	primal	324	340	363	334	354	356	372	449
R EMBLEM-0512-25.00-65536	128.10	1	dual	126	139	138	133	150	135	149	164
R EMBLEM-0512-25.00-65536	128.10	1	primal	102	118	114	111	131	112	128	141
R EMBLEM-0512-3.00-16384	128.30	1	dual	113	125	123	120	136	122	135	146
R EMBLEM-0512-3.00-16384	128.30	1	primal	92	108	103	100	121	101	117	127
RLizard-1024-1.15-1024	147.00	1	dual	253	262	268	259	280	275	283	314
RLizard-1024-1.15-1024	147.00	1	primal	225	241	247	235	255	244	260	289
RLizard-1024-1.15-2048	195.00	3	dual	263	276	287	271	286	283	300	342
RLizard-1024-1.15-2048	195.00	3	primal	225	241	253	235	256	248	264	300
RLizard-2048-1.15-2048	291.00	3	dual	400	416	450	410	432	445	455	569
RLizard-2048-1.15-2048	291.00	3	primal	389	405	417	399	419	413	429	469
RLizard-2048-1.15-4096	348.00	5	dual	485	485	502	485	492	497	507	565
RLizard-2048-1.15-4096	348.00	5	primal	430	446	474	440	461	467	477	498
Saber-0768-2.31-18192	180.00	3	dual	227	243	250	237	250	245	261	300
Saber-0768-2.31-18192	180.00	3	primal	185	201	194	194	215	204	220	257
Titanium.KEM-1024-1.41-118273	128.00	1	dual	195	211	215	205	222	213	227	261
Titanium.KEM-1024-1.41-118273	128.00	1	primal	168	184	188	177	198	185	201	233
Titanium.KEM-1280-1.41-430081	160.00	1	dual	223	239	246	233	252	241	257	300
Titanium.KEM-1280-1.41-430081	160.00	1	primal	194	210	218	204	225	214	230	270
Titanium.KEM-1280-1.41-430081	160.00	1	dual	259	275	287	269	290	284	297	355
Titanium.KEM-1536-1.41-783361	192.00	3	primal	230	246	258	240	261	254	270	320
Titanium.KEM-1536-1.41-783361	192.00	3	dual	350	366	392	360	381	385	401	483
Titanium.KEM-2048-1.41-1198081	256.00	5	primal	314	330	352	324	345	346	362	436
Titanium.KEM-2048-1.41-1198081	256.00	5	dual	205	216	226	213	230	222	237	272
Titanium.PKE-1024-1.41-86017	128.00	1	primal	173	189	194	183	204	191	207	240
Titanium.PKE-1024-1.41-86017	128.00	1	dual	232	244	259	238	259	255	264	312
Titanium.PKE-1280-1.41-301057	160.00	1	primal	201	217	226	211	232	222	238	279
Titanium.PKE-1280-1.41-301057	160.00	1	dual	261	277	289	271	292	284	299	357
Titanium.PKE-1536-1.41-737281	192.00	3	primal	231	247	260	241	262	255	271	321
Titanium.PKE-1536-1.41-737281	192.00	3	dual	350	366	392	360	381	385	401	483
Titanium.PKE-2048-1.41-1198081	256.00	5	primal	314	330	352	324	345	346	362	436
Titanium.PKE-2048-1.41-1198081	256.00	5	dual	96	107	103	102	117	102	113	117
nRound2.KEM-0400-3.62-3209	74.00	1	primal	79	95	88	87	107	103	109	95
nRound2.KEM-0400-3.62-3209	74.00	1	dual	121	133	127	127	143	130	151	136
nRound2.KEM-0486-2.20-1949	97.00	2	primal	101	117	113	109	130	111	127	139
nRound2.KEM-0486-2.20-1949	97.00	2	dual	134	145	147	141	157	144	165	140
nRound2.KEM-0556-3.77-3343	106.00	3	primal	116	129	124	124	145	127	143	156
nRound2.KEM-0556-3.77-3343	106.00	3	dual	170	185	183	176	192	194	214	205
nRound2.KEM-0658-1.49-1319	139.00	4	primal	181	185	183	176	192	194	214	205

Scheme	Claim	NIST	Attack	Q-Core-Sieve + O(1)	Q-Core-Sieve + O(1)	Q-Core-Sieve (min space)	Q- β -Sieve + O(1)	Q-8d-Sieve + O(1)	Core-Sieve + O(1)	Core-Sieve (min space)	β -Sieve	8d-Sieve + O(1)
nRound2.KEM-0658-1.49-1319	139.00	4, 5	primal	144	160	162	153	174	159	175	200	168
nRound2.PKE-0442-1.50-2639	74.00	1	dual	95	106	102	101	116	113	118	118	107
nRound2.PKE-0442-1.50-2639	74.00	1	primal	80	96	89	88	109	88	104	110	96
nRound2.PKE-0556-1.88-3343	97.00	2	dual	122	133	131	129	145	131	142	151	117
nRound2.PKE-0556-1.88-3343	97.00	2	primal	105	121	118	114	134	116	132	144	136
nRound2.PKE-0576-1.30-2309	106.00	3	dual	131	143	142	138	153	142	152	167	145
nRound2.PKE-0576-1.30-2309	106.00	3	primal	112	128	125	120	141	123	139	155	164
nRound2.PKE-0708-1.60-2837	138.00	4, 5	dual	167	179	182	175	191	180	192	212	186
nRound2.PKE-0708-1.60-2837	138.00	4, 5	primal	144	160	161	153	173	158	174	199	167
qTESLA-1024-8.49-8058881	128.00	1	dual	185	196	203	191	211	199	215	244	208
qTESLA-1024-8.49-8058881	128.00	1	primal	157	173	176	166	188	173	189	218	203
qTESLA-2048-8.49-12681217	192.00	3	dual	395	411	443	406	426	435	451	533	467
qTESLA-2048-8.49-12681217	192.00	3	primal	348	364	391	359	380	384	400	483	394
qTESLA-2048-8.49-27627521	256.00	5	dual	365	381	410	376	397	402	418	487	413
qTESLA-2048-8.49-27627521	256.00	5	primal	326	342	366	336	357	359	375	452	390
uRound2.KEM-0418-4.62-4096	75.00	1	dual	97	109	105	104	118	104	115	118	109
uRound2.KEM-0418-4.62-4096	75.00	1	primal	82	98	92	90	111	90	106	111	98
uRound2.KEM-0500-2.31-16384	74.00	1	dual	88	101	96	94	110	94	106	109	100
uRound2.KEM-0500-2.31-16384	74.00	1	primal	77	93	86	85	106	84	100	105	93
uRound2.KEM-0522-36.95-32768	97.00	2	dual	123	135	132	129	144	132	142	149	138
uRound2.KEM-0522-36.95-32768	97.00	2	primal	107	123	120	115	136	117	133	143	126
uRound2.KEM-0540-18.48-16384	106.00	3	dual	133	145	144	140	155	143	154	165	146
uRound2.KEM-0540-18.48-16384	106.00	3	primal	113	129	127	122	142	125	141	156	133
uRound2.KEM-0580-4.62-32768	96.00	2	dual	111	123	120	118	134	119	132	142	125
uRound2.KEM-0580-4.62-32768	96.00	2	primal	95	111	106	103	124	104	120	131	113
uRound2.KEM-0630-4.62-32768	106.00	3	dual	122	135	133	129	146	131	144	157	138
uRound2.KEM-0630-4.62-32768	106.00	3	primal	105	121	118	114	134	116	132	145	124
uRound2.KEM-0676-36.95-32768	139.00	5	dual	171	183	187	179	194	182	195	218	191
uRound2.KEM-0676-36.95-32768	139.00	5	primal	147	163	165	156	177	162	178	202	171
uRound2.KEM-0700-36.95-32768	140.00	4	dual	174	185	191	180	199	188	197	224	191
uRound2.KEM-0700-36.95-32768	140.00	4	primal	152	168	170	161	181	167	183	205	176
uRound2.KEM-0786-4.62-32768	138.00	5	dual	157	170	172	165	182	169	183	202	176
uRound2.KEM-0786-4.62-32768	138.00	5	primal	138	154	155	147	168	152	168	191	161
uRound2.KEM-0786-4.62-32768	139.00	4	dual	157	170	172	165	182	169	183	202	176
uRound2.KEM-0786-4.62-32768	139.00	4	primal	138	154	155	147	168	152	168	191	161
uRound2.PKE-0540-4.62-8192	97.00	2	dual	121	133	108	103	102	117	102	113	107
uRound2.PKE-0540-4.62-8192	97.00	2	primal	103	119	98	91	111	90	106	111	98
uRound2.PKE-0540-4.62-8192	96.00	2	dual	111	123	100	95	94	110	105	121	109
uRound2.PKE-0585-4.62-32768	96.00	2	primal	95	111	107	104	125	105	121	132	114
uRound2.PKE-0586-4.62-8192	107.00	3	dual	132	144	143	139	154	142	153	166	149
uRound2.PKE-0586-4.62-8192	107.00	3	primal	114	130	127	122	143	125	141	157	134

Scheme	Claim	NIST	Attack	Q-Core-Sieve + O(1)	Q-Core-Sieve (min space)	Q- β -Sieve + O(1)	Q-8d-Sieve + O(1)	Core-Sieve + O(1)	Core-Sieve (min space)	β -Sieve	8d-Sieve + O(1)
uRound2.PKE-0643-4.62-32768	106.00	3	dual	123	135	129	146	132	145	156	138
uRound2.PKE-0643-4.62-32768	106.00	3	primal	107	123	115	136	118	134	148	126
uRound2.PKE-0708-18.48-32768	138.00	4, 5	dual	167	180	182	174	191	179	192	213
uRound2.PKE-0708-18.48-32768	138.00	4, 5	primal	144	160	161	153	173	158	174	186
uRound2.PKE-0835-2.31-32768	138.00	4	dual	156	169	170	163	181	168	181	199
uRound2.PKE-0835-2.31-32768	138.00	4	primal	137	153	154	146	167	151	167	167
uRound2.PKE-0835-2.31-32768	138.00	5	dual	156	169	170	163	181	168	181	190
uRound2.PKE-0835-2.31-32768	138.00	5	primal	137	153	154	146	167	151	167	177
uRound2.PKE-0835-2.31-32768	138.00	5	primal	137	153	154	146	167	151	167	190

Table 5: Cost of primal and dual attacks against LWE-based schemes assuming n LWE samples using sieving. The column Scheme indicates each instantiation of a scheme using the format NAME- n - σ - q .

Scheme	Claim	NIST	Attack	Q-Core-Sieve + O(1)	Q-Core-Sieve (min space)	Q- β -Sieve + O(1)	Q-8d-Sieve + O(1)	Core-Sieve + O(1)	Core-Sieve (min space)	β -Sieve	8d-Sieve + O(1)
BabyBear-0624-0.79-1024	141.00	2	dual	180	191	197	205	193	206	232	218
BabyBear-0624-0.79-1024	141.00	2	primal	143	159	160	152	172	157	173	166
BabyBear-0624-1.00-1024	152.00	2	dual	192	207	210	202	217	208	222	253
BabyBear-0624-1.00-1024	152.00	2	primal	153	169	172	163	183	169	185	216
CRYSTALS-Dilithium-0768-3.74-8380417	91.00	1	dual	108	120	118	114	133	116	130	178
CRYSTALS-Dilithium-0768-3.74-8380417	91.00	1	primal	91	107	103	100	121	101	117	141
CRYSTALS-Dilithium-1024-3.16-8380417	125.00	2	dual	148	161	164	156	175	161	175	196
CRYSTALS-Dilithium-1024-3.16-8380417	125.00	2	primal	129	145	145	138	160	142	158	188
CRYSTALS-Dilithium-1280-2.00-8380417	158.00	3	dual	178	194	197	187	206	195	209	239
CRYSTALS-Dilithium-1280-2.00-8380417	158.00	3	primal	159	175	178	168	190	175	191	221
CRYSTALS-Kyber-0512-1.58-7681	102.00	1	dual	130	143	141	136	154	139	152	184
CRYSTALS-Kyber-0512-1.58-7681	102.00	1	primal	103	119	115	111	132	113	129	167
CRYSTALS-Kyber-0768-1.41-7681	161.00	3	dual	196	212	206	206	222	216	226	241
CRYSTALS-Kyber-0768-1.41-7681	161.00	3	primal	163	179	183	172	193	180	196	210
CRYSTALS-Kyber-1024-1.22-7681	218.00	5	dual	264	280	288	274	287	286	298	322
CRYSTALS-Kyber-1024-1.22-7681	218.00	5	primal	221	237	248	230	251	243	259	312
Ding Key Exchange-0512-4.19-120883	—	1	dual	111	125	122	118	136	120	134	143
Ding Key Exchange-0512-4.19-120883	—	1	primal	90	106	101	98	119	99	115	125
Ding Key Exchange-0768-2.60-120883	—	3, 5	dual	222	236	246	230	250	245	254	289
Ding Key Exchange-1024-2.60-120883	—	3, 5	primal	190	206	214	200	221	210	226	240
EMBLEM-0611-25.00-16777216	128.30	1	dual	84	96	92	90	107	90	104	108
EMBLEM-0611-25.00-16777216	128.30	1	primal	69	85	78	77	99	76	92	96
EMBLEM-0770-25.00-16777216	128.30	1	dual	103	117	114	111	129	112	125	135
EMBLEM-0770-25.00-16777216	128.30	1	primal	90	106	101	98	120	99	115	125
FireSaber-1024-2.31-8192	245.00	5	dual	308	324	338	318	339	340	346	345
FireSaber-1024-2.31-8192	245.00	5	primal	258	274	289	268	288	284	300	358
Frodo-0640-2.75-32768	103.00	1	dual	155	170	172	163	180	170	182	175
Frodo-0640-2.75-32768	103.00	1	primal	128	144	144	137	158	141	157	171
Frodo-0976-2.30-65536	150.00	3	dual	223	233	242	229	247	241	253	290
Frodo-0976-2.30-65536	150.00	3	primal	188	204	211	197	218	207	223	261
HILA5-1024-2.83-12289	255.00	5	dual	306	322	344	316	337	337	348	409
HILA5-1024-2.83-12289	255.00	5	primal	257	273	288	267	287	283	299	357
KCL-MLWE-0768-1.00-7681	147.00	4	dual	180	196	197	187	205	194	210	238
KCL-MLWE-0768-1.00-7681	147.00	4	primal	149	165	167	158	179	164	180	207
KCL-MLWE-0768-2.24-7681	183.00	4	dual	224	237	248	231	251	243	257	295
KCL-MLWE-0768-2.24-7681	183.00	4	primal	185	201	207	194	215	203	219	256
KCL-RLWE-0768-1.00-12289	255.00	5	dual	306	322	344	316	337	337	348	409
KCL-RLWE-1024-2.83-12289	255.00	5	primal	257	273	288	267	287	283	299	357
KINDI-0768-2.29-16384	164.00	2	dual	202	216	221	211	227	218	232	265
KINDI-0768-2.29-16384	164.00	2	primal	170	186	191	179	200	187	203	236
KINDI-1024-1.12-8192	207.00	4	dual	257	273	284	267	284	283	292	339
KINDI-1024-1.12-8192	207.00	4	primal	221	237	248	230	251	243	259	306
KINDI-1024-2.29-16384	232.00	4	dual	279	292	307	286	306	302	317	369
KINDI-1024-2.29-16384	232.00	4	primal	238	254	267	248	269	262	278	331
KINDI-1280-1.12-16384	251.00	5	dual	309	340	340	314	347	333	344	360

Scheme	Claim	NIST	Attack	Q-Core-Sieve + O(1)	Q-Core-Sieve + O(1)	Q-Core-Sieve (min space)	Q- β -Sieve + O(1)	Q-8d-Sieve + O(1)	Core-Sieve + O(1)	Core-Sieve (min space)	β -Sieve	8d-Sieve + O(1)
KINDI-1280-1.12-16384	251.00	5	primal	264	280	297	274	295	291	307	367	301
KINDI-1536-1.12-8192	330.00	5	dual	408	421	449	416	433	447	454	540	449
KINDI-1536-1.12-8192	330.00	5	primal	352	368	396	363	383	388	404	489	399
LAC-0512-0.71-251	128.00	1, 2	dual	178	190	195	183	199	191	203	231	197
LAC-0512-0.71-251	128.00	1, 2	primal	136	152	155	145	165	165	165	213	197
LAC-1024-0.50-251	192.00	3, 4	dual	327	343	354	337	348	349	363	422	358
LAC-1024-0.50-251	192.00	3, 4	primal	262	278	294	271	292	288	304	363	378
LAC-1024-0.71-251	256.00	5	dual	364	380	408	374	394	401	414	484	416
LAC-1024-0.71-251	256.00	5	primal	293	309	329	303	323	323	339	407	353
LIMA-2p-1024-3.16-133121	208.80	3	dual	228	244	252	238	258	249	263	302	257
LIMA-2p-1024-3.16-133121	208.80	3	primal	196	212	220	206	227	216	232	272	226
LIMA-2p-2048-3.16-184321	444.50	4	dual	495	511	547	506	526	537	553	666	548
LIMA-2p-2048-3.16-184321	444.50	4	primal	429	445	482	440	461	473	489	596	484
LIMA-sp-1018-3.16-12521473	139.20	1	dual	141	157	157	151	169	154	170	190	181
LIMA-sp-1018-3.16-12521473	139.20	1	primal	124	140	139	133	154	136	152	172	145
LIMA-sp-1306-3.16-48181249	167.80	2	dual	171	187	192	180	199	188	200	232	198
LIMA-sp-1306-3.16-48181249	167.80	2	primal	152	168	171	162	183	168	184	211	177
LIMA-sp-18922-3.16-44802049	247.90	3	dual	260	271	287	265	287	281	297	349	291
LIMA-sp-18922-3.16-44802049	247.90	3	primal	232	248	261	242	264	256	272	322	287
LIMA-sp-2062-3.16-16900097	303.50	4	dual	322	336	360	331	352	360	365	440	361
LIMA-sp-2062-3.16-16900097	303.50	4	primal	291	307	327	301	323	321	337	404	331
LOTUS-0576-3.00-8192	—	1, 2	dual	176	188	191	182	199	189	203	230	196
LOTUS-0576-3.00-8192	—	1, 2	primal	141	157	159	151	171	156	172	196	165
LOTUS-0704-3.00-8192	—	3, 4	dual	221	231	242	225	245	237	252	287	247
LOTUS-0704-3.00-8192	—	3, 4	primal	179	195	201	189	209	197	213	249	207
LOTUS-0832-3.00-8192	—	5	dual	266	274	288	272	288	283	299	343	313
LOTUS-0832-3.00-8192	—	5	primal	218	234	244	227	248	240	256	302	249
LightSaber-0512-2.31-8192	115.00	1	dual	142	155	155	150	166	153	166	186	178
LightSaber-0512-2.31-8192	115.00	1	primal	114	130	128	122	143	125	141	158	155
Lizard-0536-1.15-2048	130.00	1	dual	127	141	138	134	150	137	149	162	144
Lizard-0536-1.15-2048	130.00	1	primal	105	121	118	114	135	116	132	146	125
Lizard-0663-1.15-1024	147.00	1	dual	171	184	186	177	193	184	197	220	190
Lizard-0663-1.15-1024	147.00	1	primal	145	161	163	154	174	160	176	201	169
Lizard-0816-1.15-2048	195.00	3	dual	203	215	222	209	226	219	230	262	225
Lizard-0816-1.15-2048	195.00	3	primal	173	189	194	182	203	191	207	240	220
Lizard-0816-1.15-2048	195.00	3	dual	236	248	256	242	258	252	268	302	264
Lizard-0952-1.15-2048	195.00	3	primal	204	220	229	213	234	225	241	283	255
Lizard-0952-1.15-2048	257.00	5	dual	248	259	266	254	269	264	282	318	271
Lizard-1088-1.15-4096	257.00	5	primal	218	234	244	227	248	240	256	302	249
Lizard-1088-1.15-4096	291.00	5	dual	313	323	342	320	337	348	399	345	376
Lizard-1300-1.15-2048	291.00	5	primal	283	299	317	293	313	312	328	381	342
ManaBear-0936-0.71-1024	219.00	4	dual	273	281	298	275	295	292	308	352	302
ManaBear-0936-0.71-1024	219.00	4	primal	220	236	247	230	251	243	259	306	273
ManaBear-0936-0.94-1024	237.00	5	dual	294	310	327	304	321	321	331	387	331
ManaBear-0936-0.94-1024	237.00	5	primal	239	255	269	249	269	269	280	332	273

Scheme	Claim	NIST	Attack	Q-Core-Sieve + O(1)	Q-Core-Sieve (min space)	Q- β -Sieve + O(1)	Q-8d-Sieve + O(1)	Core-Sieve + O(1)	Core-Sieve (min space)	β -Sieve	8d-Sieve + O(1)
NewHope-0512-2.00-12289	101.00	1	dual	128	142	140	135	153	138	151	146
NewHope-0512-2.00-12289	101.00	1	primal	103	119	115	111	132	113	129	143
NewHope-1024-2.00-12289	233.00	5	dual	283	295	309	293	304	304	320	374
NewHope-1024-2.00-12289	233.00	5	primal	235	251	264	245	266	259	275	327
PapaBear-1248-0.61-1024	292.00	5	dual	350	366	388	360	380	381	397	462
PapaBear-1248-0.61-1024	292.00	5	primal	293	309	329	303	323	323	339	407
PapaBear-1248-0.87-1024	320.00	5	dual	390	406	437	400	420	429	445	525
PapaBear-1248-0.87-1024	320.00	5	primal	324	340	363	334	354	356	372	449
R EMBLEM-0512-25.00-65536	128.10	1	dual	127	138	137	134	149	136	148	163
R EMBLEM-0512-25.00-65536	128.10	1	primal	102	118	114	111	131	112	128	141
R EMBLEM-0512-3.00-16384	128.30	1	dual	113	126	124	120	137	122	134	146
R EMBLEM-0512-3.00-16384	128.30	1	primal	92	108	103	100	121	101	117	127
RLizard-1024-1.15-1024	147.00	1	dual	253	262	268	259	280	275	283	314
RLizard-1024-1.15-1024	147.00	1	primal	225	241	247	235	255	244	260	289
RLizard-1024-1.15-2048	195.00	3	dual	263	276	287	271	286	283	300	342
RLizard-1024-1.15-2048	195.00	3	primal	225	241	253	235	256	248	264	291
RLizard-2048-1.15-2048	291.00	3	dual	400	416	450	410	432	445	455	569
RLizard-2048-1.15-2048	291.00	3	primal	389	405	417	399	419	413	429	469
RLizard-2048-1.15-4096	348.00	5	dual	485	502	485	492	497	497	507	565
RLizard-2048-1.15-4096	348.00	5	primal	430	446	474	440	461	467	483	555
Saber-0768-2.31-18192	180.00	3	dual	224	237	248	230	251	243	258	295
Saber-0768-2.31-18192	180.00	3	primal	185	201	194	207	215	203	219	449
Titanium.KEM-1024-1.41-118273	128.00	1	dual	194	210	217	203	224	214	228	422
Titanium.KEM-1024-1.41-118273	128.00	1	primal	168	184	188	177	198	185	201	502
Titanium.KEM-1280-1.41-430081	160.00	1	dual	222	238	245	231	253	244	260	513
Titanium.KEM-1280-1.41-430081	160.00	1	primal	194	210	218	204	225	214	230	477
Titanium.KEM-1280-1.41-430081	160.00	1	dual	262	278	289	272	293	289	297	498
Titanium.KEM-1536-1.41-783361	192.00	3	primal	230	246	258	240	261	254	270	293
Titanium.KEM-1536-1.41-783361	192.00	3	dual	349	365	391	359	380	384	400	485
Titanium.KEM-2048-1.41-1198081	256.00	5	dual	330	352	324	345	346	362	362	395
Titanium.KEM-2048-1.41-1198081	256.00	5	primal	314	330	320	324	345	346	362	436
Titanium.PKE-1024-1.41-86017	128.00	1	dual	202	218	223	212	229	219	225	245
Titanium.PKE-1024-1.41-86017	128.00	1	primal	173	189	194	183	204	191	207	233
Titanium.PKE-1280-1.41-301057	160.00	1	dual	231	247	255	241	260	254	270	285
Titanium.PKE-1280-1.41-301057	160.00	1	primal	201	217	226	211	232	222	238	263
Titanium.PKE-1536-1.41-737281	192.00	3	dual	264	280	289	274	295	284	300	356
Titanium.PKE-1536-1.41-737281	192.00	3	primal	231	247	260	241	262	255	271	356
Titanium.PKE-2048-1.41-1198081	256.00	5	dual	349	365	391	359	380	384	400	485
Titanium.PKE-2048-1.41-1198081	256.00	5	primal	314	330	352	324	345	346	362	436
nRound2.KEM-0400-3.62-3209	74.00	1	dual	96	107	103	101	117	102	113	117
nRound2.KEM-0400-3.62-3209	74.00	1	primal	79	95	88	87	107	103	109	95
nRound2.KEM-0486-2.20-1949	97.00	2	dual	121	133	127	127	143	129	153	135
nRound2.KEM-0486-2.20-1949	97.00	2	primal	101	117	113	109	130	111	139	119
nRound2.KEM-0556-3.77-3343	106.00	3	dual	134	148	141	157	143	145	164	164
nRound2.KEM-0556-3.77-3343	106.00	3	primal	116	129	124	127	143	127	136	156
nRound2.KEM-0658-1.49-1319	139.00	4	dual	170	185	181	177	192	181	194	214

Scheme	Claim	NIST	Attack	Q-Core-Sieve + O(1)	Q-Core-Sieve + O(1)	Q-Core-Sieve (min space)	Q- β -Sieve + O(1)	Q-8d-Sieve + O(1)	Core-Sieve + O(1)	Core-Sieve (min space)	β -Sieve	8d-Sieve + O(1)
nRound2.KEM-0658-1.49-1319	139.00	4, 5	primal	144	160	162	153	174	159	175	200	168
nRound2.PKE-0442-1.50-2639	74.00	1	dual	95	106	102	101	116	101	113	118	108
nRound2.PKE-0442-1.50-2639	74.00	1	primal	80	96	89	88	109	88	104	110	96
nRound2.PKE-0556-1.88-3343	97.00	2	dual	121	133	128	144	129	142	142	151	136
nRound2.PKE-0556-1.88-3343	97.00	2	primal	105	121	118	114	134	116	132	144	124
nRound2.PKE-0576-1.30-2309	106.00	3	dual	131	143	142	138	153	142	152	167	147
nRound2.PKE-0576-1.30-2309	106.00	3	primal	112	128	125	120	141	123	139	155	132
nRound2.PKE-0708-1.60-2837	138.00	4, 5	dual	167	180	182	175	191	180	193	213	189
nRound2.PKE-0708-1.60-2837	138.00	4, 5	primal	144	160	161	153	173	158	174	199	167
qTESLA-1024-8.49-8058881	128.00	1	dual	179	190	196	184	205	192	208	208	201
qTESLA-1024-8.49-8058881	128.00	1	primal	154	170	173	163	184	170	186	214	179
qTESLA-2048-8.49-12681217	192.00	3	dual	381	397	427	391	412	420	436	532	451
qTESLA-2048-8.49-12681217	192.00	3	primal	344	360	387	355	376	380	396	478	390
qTESLA-2048-8.49-27627521	256.00	5	dual	368	376	396	376	385	389	405	490	400
qTESLA-2048-8.49-27627521	256.00	5	primal	322	338	362	333	354	355	371	448	366
uRound2.KEM-0418-4.62-4096	75.00	1	dual	98	108	104	103	118	104	116	119	109
uRound2.KEM-0418-4.62-4096	75.00	1	primal	82	98	92	90	111	90	106	111	98
uRound2.KEM-0500-2.31-16384	74.00	1	dual	88	100	95	94	110	94	106	109	100
uRound2.KEM-0500-2.31-16384	74.00	1	primal	77	93	86	85	106	84	100	105	93
uRound2.KEM-0522-36.95-32768	97.00	2	dual	122	134	132	129	146	133	143	151	139
uRound2.KEM-0522-36.95-32768	97.00	2	primal	107	123	120	115	136	117	133	143	126
uRound2.KEM-0540-18.48-16384	106.00	3	dual	134	144	144	141	155	142	154	165	149
uRound2.KEM-0540-18.48-16384	106.00	3	primal	113	129	127	122	142	125	141	156	133
uRound2.KEM-0580-4.62-32768	96.00	2	dual	111	123	120	118	134	119	132	142	126
uRound2.KEM-0580-4.62-32768	96.00	2	primal	95	111	106	103	124	104	120	131	113
uRound2.KEM-0630-4.62-32768	106.00	3	dual	122	135	133	129	146	131	144	158	138
uRound2.KEM-0630-4.62-32768	106.00	3	primal	105	121	118	114	134	116	132	145	124
uRound2.KEM-0677-36.95-32768	139.00	5	dual	170	183	185	178	193	182	195	213	190
uRound2.KEM-0677-36.95-32768	139.00	5	primal	147	163	165	156	177	162	178	202	171
uRound2.KEM-0700-36.95-32768	140.00	4	dual	175	185	187	181	196	191	201	216	191
uRound2.KEM-0700-36.95-32768	140.00	4	primal	152	168	170	161	181	167	183	205	176
uRound2.KEM-0786-4.62-32768	138.00	5	dual	157	170	172	165	182	170	183	203	180
uRound2.KEM-0786-4.62-32768	138.00	5	primal	138	154	155	147	168	152	168	191	161
uRound2.KEM-0786-4.62-32768	139.00	4	dual	157	170	172	165	182	170	183	203	180
uRound2.KEM-0786-4.62-32768	139.00	4	primal	138	154	155	147	168	152	168	191	161
uRound2.PKE-0540-4.62-8192	97.00	2	dual	120	132	131	102	117	102	113	116	107
uRound2.PKE-0540-4.62-8192	97.00	2	primal	103	119	115	111	132	113	129	142	122
uRound2.PKE-0540-4.62-8192	96.00	2	dual	111	123	121	118	134	119	132	141	125
uRound2.PKE-0786-4.62-32768	74.00	1	primal	89	100	95	111	107	95	107	111	100
uRound2.PKE-0786-4.62-32768	74.00	1	dual	77	93	86	85	106	84	100	105	93
uRound2.PKE-0786-4.62-32768	97.00	2	primal	96	108	91	90	111	90	106	111	98
uRound2.PKE-0786-4.62-32768	74.00	1	dual	82	98	91	90	104	125	121	132	114
uRound2.PKE-0786-4.62-32768	96.00	2	primal	95	111	107	104	125	144	155	142	164
uRound2.PKE-0586-4.62-8192	107.00	3	dual	132	144	144	139	155	142	154	165	148
uRound2.PKE-0586-4.62-8192	107.00	3	primal	114	130	127	122	143	141	125	157	134

Scheme	Claim	NIST	Attack	Q-Core-Sieve + O(1)	Q-Core-Sieve (min space)	Q-Core-Sieve + O(1)	Q- β -Sieve + O(1)	Q-8d-Sieve + O(1)	Core-Sieve + O(1)	Core-Sieve (min space)	β -Sieve	8d-Sieve + O(1)
uRound2.PKE-0643-4.62-32768	106.00	3	dual	122	136	134	129	146	133	145	155	138
uRound2.PKE-0643-4.62-32768	106.00	3	primal	107	123	115	120	136	118	134	148	126
uRound2.PKE-0708-18.48-32768	138.00	4, 5	dual	166	179	182	174	190	180	193	212	186
uRound2.PKE-0708-18.48-32768	138.00	4, 5	primal	144	160	161	153	173	158	174	199	167
uRound2.PKE-0835-2.31-32768	138.00	4	dual	156	170	171	163	180	168	183	204	175
uRound2.PKE-0835-2.31-32768	138.00	4	primal	137	153	154	146	167	151	167	190	160
uRound2.PKE-0835-2.31-32768	138.00	5	dual	156	170	171	163	180	168	183	204	175
uRound2.PKE-0835-2.31-32768	138.00	5	primal	137	153	154	146	167	151	167	190	160

Table 6: Cost of primal and dual attacks against LWE-based schemes assuming $2n$ LWE samples using sieving. The column Scheme indicates each instantiation of a scheme using the format NAME- n - σ - q .

Scheme	Claim	NIST	Attack	Q-Core-Sieve + O(1)	Q-Core-Sieve (min space)	Q- β -Sieve + O(1)	Q-8d-Sieve + O(1)	Core-Sieve + O(1)	Core-Sieve (min space)	β -Sieve	8d-Sieve + O(1)
Falcon-0512-4.05-12289	103.00	1 primal	128	144	137	158	141	157	178	150	171
Falcon-0768-4.05-18433	172.00	2, 3 primal	193	209	217	203	223	213	229	268	223
Falcon-1024-2.87-12289	230.00	4, 5 primal	259	275	291	269	289	285	301	359	295
NTRU HRSS-0700-0.79-8192	123.00	1 primal	123	139	138	132	153	136	152	171	165
NTRU Prime-0761-0.82-4591	225.00	5 primal	139	155	156	148	169	154	170	192	183
NTRU Prime-0761-0.82-4591	248.00	5 primal	140	156	158	149	170	155	171	195	184
NTRUEncrypt-0443-0.80-2048	84.00	1 primal	85	101	95	93	114	93	109	117	101
NTRUEncrypt-0743-0.82-2048	159.00	1, 2, 3, 4, 5 primal	159	175	179	169	189	175	191	221	185
NTRUEncrypt-1024-724.00-1073750017	198.00	4, 5 primal	248	264	279	258	279	274	290	345	283
pqNTRUsign-1024-0.70-65537	149.00	1, 2, 3, 4, 5 primal	152	168	171	162	183	168	184	211	198

Table 7: Cost of primal attack against NTRU-based schemes using sieving. The column Scheme indicates each instantiation of a scheme using the format NAME- $n\text{-}\sigma\text{-}q$, where the equivalent LWE values are provided as seen in Section 5.

Scheme	Claim	NIST Attack	Q-Core-Enum + O(1)	Lotus	Core-Enum + O(1)	8d-Enum + O(1) (quadratic fit)
BabyBear-0624-0.79-1024	141.00	2 dual	257	289	409	473
BabyBear-0624-0.79-1024	141.00	2 primal	190	204	380	436
BabyBear-0624-1.00-1024	152.00	2 dual	297	297	442	553
BabyBear-0624-1.00-1024	152.00	2 primal	210	227	420	487
CRYSTALS-Dilithium-0768-3.74-8380417	91.00	1 dual	128	130	221	246
CRYSTALS-Dilithium-0768-3.74-8380417	91.00	1 primal	106	106	211	236
CRYSTALS-Dilithium-1024-3.16-8380417	125.00	2 dual	191	202	342	381
CRYSTALS-Dilithium-1024-3.16-8380417	125.00	2 primal	168	178	335	381
CRYSTALS-Dilithium-1280-2.00-8380417	158.00	3 dual	244	264	444	507
CRYSTALS-Dilithium-1280-2.00-8380417	158.00	3 primal	221	240	441	516
CRYSTALS-Kyber-0512-1.58-7681	102.00	1 dual	169	169	289	290
CRYSTALS-Kyber-0512-1.58-7681	102.00	1 primal	122	125	244	273
CRYSTALS-Kyber-0768-1.41-7681	161.00	3 dual	269	299	470	537
CRYSTALS-Kyber-0768-1.41-7681	161.00	3 primal	228	248	456	535
CRYSTALS-Kyber-1024-1.22-7681	218.00	5 dual	391	429	685	836
CRYSTALS-Kyber-1024-1.22-7681	218.00	5 primal	340	381	679	861
Ding Key Exchange-0512-4.19-120883	—	1 dual	154	163	229	250
Ding Key Exchange-0512-4.19-120883	—	1 primal	105	105	210	234
Ding Key Exchange-1024-2.60-120883	—	3, 5 dual	320	350	579	673
Ding Key Exchange-1024-2.60-120883	—	3, 5 primal	281	310	561	683
EMBLEM-0611-25.00-16777216	128.30	1 dual	91	90	152	169
EMBLEM-0611-25.00-16777216	128.30	1 primal	71	67	142	163
EMBLEM-0770-25.00-16777216	128.30	1 dual	118	120	207	229
EMBLEM-0770-25.00-16777216	128.30	1 primal	102	101	203	227
FireSaber-1024-2.31-8192	245.00	5 dual	480	530	830	1052
FireSaber-1024-2.31-8192	245.00	5 primal	416	471	832	1110
Frodo-0640-2.75-32768	103.00	1 dual	207	234	353	390
Frodo-0640-2.75-32768	103.00	1 primal	167	176	333	377
Frodo-0976-2.30-65536	150.00	3 dual	316	353	568	657
Frodo-0976-2.30-65536	150.00	3 primal	275	304	549	666
HILA5-1024-2.83-12289	255.00	5 dual	480	530	830	1052
HILA5-1024-2.83-12289	255.00	5 primal	416	471	832	1110
KCL-MLWE-0768-1.00-7681	147.00	4 dual	242	259	425	482
KCL-MLWE-0768-2.24-7681	183.00	4 primal	202	218	404	467
KCL-MLWE-0768-2.24-7681	183.00	4 primal	269	297	538	650
KCL-RLWE-1024-2.83-12289	255.00	5 dual	480	530	830	1052
KCL-RLWE-1024-2.83-12289	255.00	5 primal	416	471	832	1110
KINDL-0768-2.29-16384	164.00	2 dual	298	325	487	598
KINDL-0768-2.29-16384	164.00	2 primal	242	265	484	573
KINDL-1024-1.12-8192	207.00	4 dual	378	413	687	875
KINDL-1024-1.12-8192	207.00	4 primal	340	381	679	861
KINDL-1024-2.29-16384	232.00	4 dual	420	469	739	916
KINDL-1024-2.29-16384	232.00	4 primal	376	424	751	977
KINDL-1280-1.12-16384	251.00	5 dual	472	519	839	1068

Scheme	Claim	NIST Attack	Q-Core-Enum + O(1)	Lotus	Core-Enum + O(1)	8d-Enum + O(1) (quadratic fit)
KINDl-1280-1..12-16384	251.00	5 primal	429	487	858	1156
KINDl-1536-1..12-8192	330.00	5 dual	673	761	1192	1780
KINDl-1536-1..12-8192	330.00	5 primal	622	718	1243	1882
LAC-0512-0..71-251	128.00	1, 2 dual	272	288	423	487
LAC-0512-0..71-251	128.00	1, 2 primal	178	190	356	405
LAC-1024-0..50-251	192.00	3, 4 dual	506	554	852	1297
LAC-1024-0..50-251	192.00	3, 4 primal	424	481	847	1137
LAC-1024-0..71-251	256.00	5 dual	565	682	970	1482
LAC-1024-0..71-251	256.00	5 primal	492	562	983	1377
LIMA-2p-1024-3..16-133121	208.80	3 dual	340	366	609	713
LIMA-2p-1024-3..16-133121	208.80	3 primal	294	326	587	722
LIMA-2p-2048-3..16-184321	444.50	4 dual	861	987	1585	2493
LIMA-2p-2048-3..16-184321	444.50	4 primal	800	933	1599	2665
LIMA-sp-1018-3..16-12521473	139.20	1 dual	185	193	331	371
LIMA-sp-1018-3..16-12521473	139.20	1 primal	159	167	317	358
LIMA-sp-1306-3..16-48181249	167.80	2 dual	235	257	436	488
LIMA-sp-1306-3..16-48181249	167.80	2 primal	209	225	417	484
LIMA-sp-1822-3..16-44802049	247.90	3 dual	403	445	750	937
LIMA-sp-1822-3..16-44802049	247.90	3 primal	364	410	728	940
LIMA-sp-2062-3..16-16900097	303.50	4 dual	533	612	1002	1312
LIMA-sp-2062-3..16-16900097	303.50	4 primal	488	557	975	1364
LOTUS-0576-3..00-8192	—	1, 2 dual	265	297	417	473
LOTUS-0576-3..00-8192	—	1, 2 primal	191	205	381	437
LOTUS-0704-3..00-8192	—	3, 4 dual	313	337	554	674
LOTUS-0704-3..00-8192	—	3, 4 primal	261	287	521	625
LOTUS-0832-3..00-8192	—	5 dual	400	429	682	813
LOTUS-0832-3..00-8192	—	5 primal	336	376	672	849
LightSaber-0512-2..31-8192	115.00	1 dual	183	225	304	334
LightSaber-0512-2..31-8192	115.00	1 primal	141	147	282	316
Lizard-0536-1..15-2048	130.00	1 dual	149	152	227	245
Lizard-0536-1..15-2048	130.00	1 primal	127	130	229	250
Lizard-0633-1..15-1024	147.00	1 dual	206	212	308	301
Lizard-0633-1..15-1024	147.00	1 primal	187	192	286	306
Lizard-0816-1..15-2048	195.00	3 dual	269	289	399	425
Lizard-0816-1..15-2048	195.00	3 primal	245	263	407	433
Lizard-0952-1..15-2048	195.00	3 dual	317	333	488	468
Lizard-0952-1..15-2048	195.00	3 primal	296	314	457	483
Lizard-1088-1..15-4096	257.00	5 dual	333	365	514	476
Lizard-1088-1..15-4096	257.00	5 primal	313	330	469	494
Lizard-1300-1..15-2048	261.00	5 dual	479	533	587	642
Lizard-1300-1..15-2048	291.00	5 primal	395	412	556	582
MamaBear-0936-0..71-1024	219.00	4 dual	404	432	691	823
MamaBear-0936-0..71-1024	219.00	4 primal	339	380	678	859
MamaBear-0936-0..94-1024	237.00	5 dual	436	483	774	994
MamaBear-0936-0..94-1024	237.00	5 primal	378	425	755	982

Scheme	Claim	NIST	Attack	Q-Core-Enum + O(1)	Lotus	Core-Enum + O(1)	8d-Enum + O(1) (quadratic fit)
NewHope-0512-2.00-12289	101.00	1	dual	169	169	289	290
NewHope-0512-2.00-12289	101.00	1	primal	122	125	244	273
NewHope-1024-2.00-12289	233.00	5	dual	429	475	755	936
NewHope-1024-2.00-12289	233.00	5	primal	369	416	738	955
PapaBear-1248-0.61-1024	292.00	5	dual	567	632	994	1291
PapaBear-1248-0.61-1024	292.00	5	primal	491	561	981	1375
PapaBear-1248-0.87-1024	320.00	5	dual	639	710	1134	1579
PapaBear-1248-0.87-1024	320.00	5	primal	558	641	1115	1627
R_EMBLEM-0512-25.00-65536	128.10	1	dual	152	155	255	275
R_EMBLEM-0512-25.00-65536	128.10	1	primal	121	123	242	270
R_EMBLEM-0512-3.00-16384	128.30	1	dual	132	133	220	239
R_EMBLEM-0512-3.00-16384	128.30	1	primal	105	105	210	234
RLizard-1024-1.15-1024	147.00	1	dual	351	330	385	386
RLizard-1024-1.15-1024	147.00	1	primal	274	278	373	393
RLizard-1024-1.15-2048	195.00	3	dual	368	407	579	619
RLizard-1024-1.15-2048	195.00	3	primal	348	380	572	611
RLizard-2048-1.15-2048	291.00	3	dual	478	495	1054	605
RLizard-2048-1.15-2048	291.00	3	primal	467	477	594	617
RLizard-2048-1.15-4096	348.00	5	dual	612	762	1359	1429
RLizard-2048-1.15-4096	348.00	5	primal	595	624	804	839
Saber-0768-2.31-8192	180.00	3	dual	321	344	554	683
Saber-0768-2.31-8192	180.00	3	primal	269	297	538	650
Titanium_KEM-1024-1.41-118273	128.00	1	dual	276	294	493	565
Titanium_KEM-1024-1.41-118273	128.00	1	primal	237	258	473	559
Titanium_KEM-1280-1.41-430081	160.00	1	dual	323	357	596	704
Titanium_KEM-1280-1.41-430081	160.00	1	primal	287	318	574	702
Titanium_KEM-1536-1.41-783361	192.00	3	dual	402	441	741	921
Titanium_KEM-1536-1.41-783361	192.00	3	primal	359	404	718	923
Titanium_KEM-2048-1.41-1198081	256.00	5	dual	595	652	1096	1474
Titanium_KEM-2048-1.41-1198081	256.00	5	primal	537	616	1073	1547
Titanium_PKE-1024-1.41-86017	128.00	1	dual	282	311	517	594
Titanium_PKE-1024-1.41-86017	128.00	1	primal	247	271	494	587
Titanium_PKE-1280-1.41-301057	160.00	1	dual	340	372	607	738
Titanium_PKE-1280-1.41-301057	160.00	1	primal	301	334	601	742
Titanium_PKE-1536-1.41-737281	192.00	3	dual	405	445	747	930
Titanium_PKE-1536-1.41-737281	192.00	3	primal	361	406	722	930
Titanium_PKE-2048-1.41-1198081	256.00	5	dual	595	652	1096	1474
Titanium_PKE-2048-1.41-1198081	256.00	5	primal	537	616	1073	1547
nRound2_KEM-0400-3.62-3209	74.00	1	dual	102	100	142	154
nRound2_KEM-0400-3.62-3209	74.00	1	primal	84	84	134	152
nRound2_KEM-0486-2.20-1949	97.00	2	dual	136	137	194	208
nRound2_KEM-0486-2.20-1949	97.00	2	primal	118	116	187	206
nRound2_KEM-0556-3.77-3343	106.00	3	dual	150	154	207	212
nRound2_KEM-0556-3.77-3343	106.00	3	primal	133	130	196	215
nRound2_KEM-0658-1.49-1319	139.00	4	dual	206	214	289	300

Scheme	Claim	NIST Attack	Q-Core-Enum + O(1)	Lotus	Core-Enum + O(1)	8d-Enum + O(1) (quadratic fit)
nRound2.KEM-0658-1-49-1319	139.00	4, 5 primal	187	191	287	307
nRound2.PKE-0442-1-50-2659	74.00	1 dual	102	99	140	157
nRound2.PKE-0442-1-50-2659	74.00	1 primal	85	80	134	153
nRound2.PKE-0556-1-88-3343	97.00	2 dual	136	137	207	200
nRound2.PKE-0556-1-88-3343	97.00	2 primal	120	117	182	201
nRound2.PKE-0576-1-30-2309	106.00	3 dual	152	159	222	226
nRound2.PKE-0576-1-30-2309	106.00	3 primal	135	135	212	231
nRound2.PKE-0576-1-60-2837	138.00	4, 5 dual	206	210	307	327
nRound2.PKE-0708-1-60-2837	138.00	4, 5 primal	188	193	294	313
qTESLA-1024-8-49-8058881	128.00	1 dual	249	272	449	518
qTESLA-1024-8-49-8058881	128.00	1 primal	217	235	433	506
qTESLA-2048-8-49-12681217	192.00	3 dual	658	762	1235	1783
qTESLA-2048-8-49-12681217	192.00	3 primal	612	707	1224	1847
qTESLA-2048-8-49-27627521	256.00	5 dual	628	697	1154	1590
qTESLA-2048-8-49-27627521	256.00	5 primal	563	647	1125	1649
uRound2.KEM-04118-4-62-4096	75.00	1 dual	102	100	142	148
uRound2.KEM-04118-4-62-4096	75.00	1 primal	86	81	131	150
uRound2.KEM-0500-2-31-16384	74.00	1 dual	92	90	130	142
uRound2.KEM-0500-2-31-16384	74.00	1 primal	80	75	126	146
uRound2.KEM-0522-36-95-32768	97.00	2 dual	133	133	177	189
uRound2.KEM-0522-36-95-32768	97.00	2 primal	119	114	173	192
uRound2.KEM-0540-18-48-16384	106.00	3 dual	156	152	206	237
uRound2.KEM-0540-18-48-16384	106.00	3 primal	134	132	204	223
uRound2.KEM-0580-4-62-32768	96.00	2 dual	125	126	189	203
uRound2.KEM-0580-4-62-32768	96.00	2 primal	109	110	188	207
uRound2.KEM-0630-4-62-32768	106.00	3 dual	141	145	213	228
uRound2.KEM-0630-4-62-32768	106.00	3 primal	126	128	213	232
uRound2.KEM-0676-36-95-32768	139.00	5 dual	212	210	301	305
uRound2.KEM-0676-36-95-32768	139.00	5 primal	187	189	278	297
uRound2.KEM-0700-36-95-32768	140.00	4 dual	207	212	279	286
uRound2.KEM-0700-36-95-32768	140.00	4 primal	187	188	271	290
uRound2.KEM-0786-4-62-32768	138.00	5 dual	194	200	298	327
uRound2.KEM-0786-4-62-32768	138.00	5 primal	181	188	294	314
uRound2.KEM-0786-4-62-32768	139.00	4 dual	194	200	298	327
uRound2.KEM-0786-4-62-32768	139.00	4 primal	181	188	294	314
uRound2.PKE-0420-1-15-1024	74.00	1 dual	101	101	133	143
uRound2.PKE-0420-1-15-1024	74.00	1 primal	84	78	126	145
uRound2.PKE-0500-4-62-32768	74.00	1 dual	93	90	129	142
uRound2.PKE-0500-4-62-32768	74.00	1 primal	80	75	126	146
uRound2.PKE-0540-4-62-8192	97.00	2 dual	135	136	190	201
uRound2.PKE-0540-4-62-8192	97.00	2 primal	120	118	187	206
uRound2.PKE-0585-4-62-32768	96.00	2 dual	125	125	183	198
uRound2.PKE-0585-4-62-32768	96.00	2 primal	110	110	184	203
uRound2.PKE-0586-4-62-8192	107.00	3 dual	156	153	216	222
uRound2.PKE-0586-4-62-8192	107.00	3 primal	136	135	210	229

Scheme	Claim	NIST Attack	Q-Core-Enum + O(1)	Lotus	Core-Enum + O(1)	8d-Enum + O(1) (quadratic fit)
uRound2.PKE-0643-4-62-32768	106.00	3 dual	140	144	205	218
uRound2.PKE-0643-4-62-32768	106.00	3 primal	128	128	205	224
uRound2.PKE-0708-1848-32768	138.00	4, 5 dual	204	213	296	306
uRound2.PKE-0708-1848-32768	138.00	4, 5 primal	188	194	294	313
uRound2.PKE-0835-2-31-32768	138.00	4 dual	194	200	293	355
uRound2.PKE-0835-2-31-32768	138.00	4 primal	181	189	298	320
uRound2.PKE-0835-2-31-32768	138.00	5 dual	194	200	293	355
uRound2.PKE-0835-2-31-32768	138.00	5 primal	181	189	298	320

Table 8: Cost of primal and dual attacks against LWE-based schemes assuming n LWE samples using enumeration. The column Scheme indicates each instantiation of a scheme using the format NAME- n - σ - q .

Scheme	Claim	NIST	Attack	Q-Core-Enum + O(1)	Lotus	Core-Enum + O(1)	8d-Enum + O(1) (quadratic fit)
BabyBear-0624-0.79-1024	141.00	2	dual	257	289	409	473
BabyBear-0624-0.79-1024	141.00	2	primal	190	204	380	436
BabyBear-0624-1.00-1024	152.00	2	dual	297	297	442	553
BabyBear-0624-1.00-1024	152.00	2	primal	210	227	420	487
CRYSTALS-Dilithium-0768-3.74-8380417	91.00	1	dual	124	127	220	241
CRYSTALS-Dilithium-0768-3.74-8380417	91.00	1	primal	104	104	208	233
CRYSTALS-Dilithium-1024-3.16-8380417	125.00	2	dual	189	200	342	383
CRYSTALS-Dilithium-1024-3.16-8380417	125.00	2	primal	167	177	334	379
CRYSTALS-Dilithium-1280-2.00-8380417	158.00	3	dual	243	265	448	506
CRYSTALS-Dilithium-1280-2.00-8380417	158.00	3	primal	220	239	440	515
CRYSTALS-Kyber-0512-1.58-7681	102.00	1	dual	169	169	265	289
CRYSTALS-Kyber-0512-1.58-7681	102.00	1	primal	122	125	244	273
CRYSTALS-Kyber-0768-1.41-7681	161.00	3	dual	268	299	472	537
CRYSTALS-Kyber-0768-1.41-7681	161.00	3	primal	228	248	456	535
CRYSTALS-Kyber-1024-1.22-7681	218.00	5	dual	391	430	685	836
CRYSTALS-Kyber-1024-1.22-7681	218.00	5	primal	340	381	679	861
Ding Key Exchange-0512-4.19-120883	—	1	dual	138	138	224	241
Ding Key Exchange-0512-4.19-120883	—	1	primal	102	101	203	227
Ding Key Exchange-1024-2.60-120883	—	3, 5	dual	322	348	575	670
Ding Key Exchange-1024-2.60-120883	—	3, 5	primal	280	309	559	680
EMBLEM-0611-25.00-16777216	128.30	1	dual	90	89	151	168
EMBLEM-0611-25.00-16777216	128.30	1	primal	71	66	141	162
EMBLEM-0770-25.00-16777216	128.30	1	dual	119	121	208	227
EMBLEM-0770-25.00-16777216	128.30	1	primal	102	101	203	227
FireSaber-1024-2.31-8192	245.00	5	dual	482	522	834	1044
FireSaber-1024-2.31-8192	245.00	5	primal	416	471	832	1110
Frodo-0640-2.75-32768	103.00	1	dual	199	214	347	383
Frodo-0640-2.75-32768	103.00	1	primal	165	174	329	372
Frodo-0976-2.30-65536	150.00	3	dual	318	351	565	671
Frodo-0976-2.30-65536	150.00	3	primal	275	304	549	666
HILA5-1024-2.83-12289	255.00	5	dual	482	523	838	1040
HILA5-1024-2.83-12289	255.00	5	primal	414	469	828	1105
KCL-MLWE-0768-1.00-7681	147.00	4	dual	244	259	425	482
KCL-MLWE-0768-2.24-7681	183.00	4	primal	202	218	404	467
KCL-MLWE-0768-2.24-7681	183.00	4	dual	316	345	561	637
KCL-MLWE-0768-2.24-7681	183.00	4	primal	269	296	537	648
KCL-RLWE-1024-2.83-12289	255.00	5	dual	482	523	838	1040
KCL-RLWE-1024-2.83-12289	255.00	5	primal	414	469	828	1105
KINDL-0768-2.29-16384	164.00	2	dual	278	320	480	565
KINDL-0768-2.29-16384	164.00	2	primal	241	263	481	569
KINDL-1024-1.12-8192	207.00	4	dual	378	413	687	875
KINDL-1024-1.12-8192	207.00	4	primal	340	381	679	861
KINDL-1024-2.29-16384	232.00	4	dual	417	464	738	907
KINDL-1024-2.29-16384	232.00	4	primal	375	423	750	975
KINDL-1280-1.12-16384	251.00	5	dual	472	519	839	1068

Scheme	Claim	NIST Attack	Q-Core-Enum + O(1)	Lotus	Core-Enum + O(1)	8d-Enum + O(1) (quadratic fit)
KINDl-1280-1..12-16384	251.00	5 primal	429	487	858	1156
KINDl-1536-1..12-8192	330.00	5 dual	673	761	1192	1780
KINDl-1536-1..12-8192	330.00	5 primal	622	718	1243	1882
LAC-0512-0..71-251	128.00	1, 2 dual	272	288	423	487
LAC-0512-0..71-251	128.00	1, 2 primal	178	190	356	405
LAC-1024-0..50-251	192.00	3, 4 dual	506	554	852	1297
LAC-1024-0..50-251	192.00	3, 4 primal	424	481	847	1137
LAC-1024-0..71-251	256.00	5 dual	565	682	970	1482
LAC-1024-0..71-251	256.00	5 primal	492	562	983	1377
LIMA-2p-1024-3..16-133121	208.80	3 dual	329	365	602	705
LIMA-2p-1024-3..16-133121	208.80	3 primal	291	323	582	714
LIMA-2p-2048-3..16-184321	444.50	4 dual	855	998	1585	2496
LIMA-2p-2048-3..16-184321	444.50	4 primal	799	932	1598	2662
LIMA-sp-1018-3..16-12521473	139.20	1 dual	181	193	331	366
LIMA-sp-1018-3..16-12521473	139.20	1 primal	157	166	314	355
LIMA-sp-1306-3..16-48181249	167.80	2 dual	232	255	431	492
LIMA-sp-1306-3..16-48181249	167.80	2 primal	208	225	416	483
LIMA-sp-1822-3..16-44802049	247.90	3 dual	399	448	745	939
LIMA-sp-1822-3..16-44802049	247.90	3 primal	363	409	726	937
LIMA-sp-2062-3..16-16900097	303.50	4 dual	529	607	970	1308
LIMA-sp-2062-3..16-16900097	303.50	4 primal	487	556	973	1362
LOTUS-0576-3..00-8192	—	1, 2 dual	234	274	398	441
LOTUS-0576-3..00-8192	—	1, 2 primal	189	202	377	431
LOTUS-0704-3..00-8192	—	3, 4 dual	303	337	536	625
LOTUS-0704-3..00-8192	—	3, 4 primal	258	284	516	618
LOTUS-0832-3..00-8192	—	5 dual	390	425	674	811
LOTUS-0832-3..00-8192	—	5 primal	333	373	666	841
LightSaber-0512-2..31-8192	115.00	1 dual	176	186	302	328
LightSaber-0512-2..31-8192	115.00	1 primal	140	146	280	314
Lizard-0536-1..15-2048	130.00	1 dual	149	152	227	245
Lizard-0536-1..15-2048	130.00	1 primal	127	130	229	250
Lizard-0633-1..15-1024	147.00	1 dual	206	212	308	301
Lizard-0633-1..15-1024	147.00	1 primal	187	192	286	306
Lizard-0816-1..15-2048	195.00	3 dual	269	289	399	425
Lizard-0816-1..15-2048	195.00	3 primal	245	263	407	433
Lizard-0952-1..15-2048	195.00	3 dual	317	333	488	468
Lizard-0952-1..15-2048	195.00	3 primal	296	314	457	483
Lizard-1088-1..15-4096	257.00	5 dual	333	365	514	476
Lizard-1088-1..15-4096	257.00	5 primal	313	330	469	494
Lizard-1300-1..15-2048	261.00	5 dual	479	533	587	642
Lizard-1300-1..15-2048	291.00	5 primal	395	412	556	582
MamaBear-0936-0..71-1024	219.00	4 dual	404	432	691	823
MamaBear-0936-0..71-1024	219.00	4 primal	339	380	678	859
MamaBear-0936-0..94-1024	237.00	5 dual	436	483	774	994
MamaBear-0936-0..94-1024	237.00	5 primal	378	425	755	982

Scheme	Claim	NIST	Attack	Q-Core-Enum + O(1)	Lotus	Core-Enum + O(1)	8d-Enum + O(1) (quadratic fit)
NewHope-0512-2.00-12289	101.00	1	dual	161	169	263	289
NewHope-0512-2.00-12289	101.00	1	primal	122	125	244	273
NewHope-1024-2.00-12289	233.00	5	dual	429	477	753	936
NewHope-1024-2.00-12289	233.00	5	primal	369	416	738	955
PapaBear-1248-0.61-1024	292.00	5	dual	567	632	994	1291
PapaBear-1248-0.61-1024	292.00	5	primal	491	561	981	1375
PapaBear-1248-0.87-1024	320.00	5	dual	639	710	1134	1579
PapaBear-1248-0.87-1024	320.00	5	primal	558	641	1115	1627
R_EMBLEM-0512-25.00-65536	128.10	1	dual	151	155	247	265
R_EMBLEM-0512-25.00-65536	128.10	1	primal	121	123	242	270
R_EMBLEM-0512-3.00-16384	128.30	1	dual	131	134	221	240
R_EMBLEM-0512-3.00-16384	128.30	1	primal	105	105	210	234
RLizard-1024-1.15-1024	147.00	1	dual	351	330	385	386
RLizard-1024-1.15-1024	147.00	1	primal	274	278	373	393
RLizard-1024-1.15-2048	195.00	3	dual	368	407	579	619
RLizard-1024-1.15-2048	195.00	3	primal	348	380	572	611
RLizard-2048-1.15-2048	291.00	3	dual	478	495	1054	605
RLizard-2048-1.15-2048	291.00	3	primal	467	477	594	617
RLizard-2048-1.15-4096	348.00	5	dual	612	762	1359	1429
RLizard-2048-1.15-4096	348.00	5	primal	595	624	804	839
Saber-0768-2.31-8192	180.00	3	dual	315	345	560	644
Saber-0768-2.31-8192	180.00	3	primal	269	296	537	648
Titanium_KEM-1024-1.41-118273	128.00	1	dual	274	293	493	565
Titanium_KEM-1024-1.41-118273	128.00	1	primal	237	258	473	559
Titanium_KEM-1280-1.41-430081	160.00	1	dual	323	360	598	704
Titanium_KEM-1280-1.41-430081	160.00	1	primal	287	318	574	702
Titanium_KEM-1536-1.41-783361	192.00	3	dual	405	447	741	921
Titanium_KEM-1536-1.41-783361	192.00	3	primal	359	404	718	923
Titanium_KEM-2048-1.41-1198081	256.00	5	dual	595	652	1096	1474
Titanium_KEM-2048-1.41-1198081	256.00	5	primal	537	616	1073	1547
Titanium_PKE-1024-1.41-86017	128.00	1	dual	282	312	518	594
Titanium_PKE-1024-1.41-86017	128.00	1	primal	247	271	494	587
Titanium_PKE-1280-1.41-301057	160.00	1	dual	340	372	606	738
Titanium_PKE-1280-1.41-301057	160.00	1	primal	301	334	601	742
Titanium_PKE-1536-1.41-737281	192.00	3	dual	406	451	747	930
Titanium_PKE-1536-1.41-737281	192.00	3	primal	361	406	722	930
Titanium_PKE-2048-1.41-1198081	256.00	5	dual	595	652	1096	1474
Titanium_PKE-2048-1.41-1198081	256.00	5	primal	537	616	1073	1547
nRound2_KEM-0400-3.62-3209	74.00	1	dual	102	100	142	154
nRound2_KEM-0400-3.62-3209	74.00	1	primal	84	79	134	152
nRound2_KEM-0486-2.20-1949	97.00	2	dual	137	137	194	208
nRound2_KEM-0486-2.20-1949	97.00	2	primal	118	116	187	206
nRound2_KEM-0556-3.77-3343	106.00	3	dual	155	153	207	212
nRound2_KEM-0556-3.77-3343	106.00	3	primal	133	130	196	215
nRound2_KEM-0658-1.49-1319	139.00	4	dual	206	214	289	300

Scheme	Claim	NIST Attack	Q-Core-Enum + O(1)	Lotus	Core-Enum + O(1)	8d-Enum + O(1) (quadratic fit)
nRound2.KEM-0658-1-49-1319	139.00	4, 5 primal	187	191	287	307
nRound2.PKE-0442-1-50-2659	74.00	1 dual	102	99	140	157
nRound2.PKE-0442-1-50-2659	74.00	1 primal	85	80	134	153
nRound2.PKE-0556-1-88-3343	97.00	2 dual	136	137	207	200
nRound2.PKE-0556-1-88-3343	97.00	2 primal	120	117	182	201
nRound2.PKE-0576-1-30-2309	106.00	3 dual	152	159	222	226
nRound2.PKE-0576-1-30-2309	106.00	3 primal	135	135	212	231
nRound2.PKE-0576-1-60-2837	138.00	4, 5 dual	206	210	307	327
nRound2.PKE-0708-1-60-2837	138.00	4, 5 primal	188	193	294	313
qTESLA-1024-8-49-8058881	128.00	1 dual	243	257	436	501
qTESLA-1024-8-49-8058881	128.00	1 primal	211	228	422	490
qTESLA-2048-8-49-12681217	192.00	3 dual	670	744	1241	1700
qTESLA-2048-8-49-12681217	192.00	3 primal	604	697	1208	1813
qTESLA-2048-8-49-27627521	256.00	5 dual	611	690	1136	1538
qTESLA-2048-8-49-27627521	256.00	5 primal	555	638	1110	1619
uRound2.KEM-04118-4-62-4096	75.00	1 dual	102	100	142	148
uRound2.KEM-04118-4-62-4096	75.00	1 primal	86	81	131	150
uRound2.KEM-0500-2-31-16384	74.00	1 dual	93	90	130	142
uRound2.KEM-0500-2-31-16384	74.00	1 primal	80	75	126	146
uRound2.KEM-0522-36-95-32768	97.00	2 dual	134	135	177	194
uRound2.KEM-0522-36-95-32768	97.00	2 primal	119	114	173	192
uRound2.KEM-0540-18-48-16384	106.00	3 dual	151	154	206	225
uRound2.KEM-0540-18-48-16384	106.00	3 primal	134	132	204	223
uRound2.KEM-0580-4-62-32768	96.00	2 dual	127	126	189	203
uRound2.KEM-0580-4-62-32768	96.00	2 primal	109	110	188	207
uRound2.KEM-0630-4-62-32768	106.00	3 dual	142	143	213	228
uRound2.KEM-0630-4-62-32768	106.00	3 primal	126	128	213	232
uRound2.KEM-0676-36-95-32768	139.00	5 dual	204	208	279	352
uRound2.KEM-0676-36-95-32768	139.00	5 primal	187	189	278	297
uRound2.KEM-0700-36-95-32768	140.00	4 dual	224	210	326	286
uRound2.KEM-0700-36-95-32768	140.00	4 primal	187	188	271	290
uRound2.KEM-0786-4-62-32768	138.00	5 dual	196	205	297	327
uRound2.KEM-0786-4-62-32768	138.00	5 primal	181	188	294	314
uRound2.KEM-0786-4-62-32768	139.00	4 dual	196	205	297	327
uRound2.KEM-0786-4-62-32768	139.00	4 primal	181	188	294	314
uRound2.PKE-0420-1-15-1024	74.00	1 dual	101	101	133	143
uRound2.PKE-0420-1-15-1024	74.00	1 primal	84	78	126	145
uRound2.PKE-0500-4-62-32768	74.00	1 dual	92	91	129	142
uRound2.PKE-0500-4-62-32768	74.00	1 primal	80	75	126	146
uRound2.PKE-0540-4-62-8192	97.00	2 dual	135	137	190	201
uRound2.PKE-0540-4-62-8192	97.00	2 primal	120	118	187	206
uRound2.PKE-0585-4-62-32768	96.00	2 dual	124	127	191	198
uRound2.PKE-0585-4-62-32768	96.00	2 primal	110	110	184	203
uRound2.PKE-0586-4-62-8192	107.00	3 dual	151	154	216	222
uRound2.PKE-0586-4-62-8192	107.00	3 primal	136	135	210	229

Scheme	Claim	NIST Attack	Q-Core-Enum + O(1)	Lotus	Core-Enum + O(1)	8d-Enum + O(1) (quadratic fit)
uRound2.PKE-0643-4-62-32768	106.00	3 dual	141	142	205	218
uRound2.PKE-0643-4-62-32768	106.00	3 primal	128	128	205	224
uRound2.PKE-0708-1848-32768	138.00	4, 5 dual	204	209	293	306
uRound2.PKE-0708-1848-32768	138.00	4, 5 primal	188	194	294	313
uRound2.PKE-0835-2-31-32768	138.00	4 dual	194	200	293	355
uRound2.PKE-0835-2-31-32768	138.00	4 primal	181	189	298	320
uRound2.PKE-0835-2-31-32768	138.00	5 dual	194	200	293	355
uRound2.PKE-0835-2-31-32768	138.00	5 primal	181	189	298	320

Table 9: Cost of primal and dual attacks against LWE-based schemes assuming $2n$ LWE samples using enumeration. The column Scheme indicates each instantiation of a scheme using the format NAME- n - σ - q .

Scheme	Claim	NIST Attack	Q-Core-Enum + O(1)	Lotus	Core-Enum + O(1)	8d-Enum + O(1) (quadratic fit)
Falcon-0512-4.05-12289	103.00	1 primal	165	175	330	373
Falcon-0768-4.05-18433	172.00	2, 3 primal	286	316	571	697
Falcon-1024-2.87-12289	230.00	4, 5 primal	418	474	836	1118
NTRU1 HRSS-0700-0.79-8192	123.00	1 primal	157	165	313	350
NTRU Prime-0761-0.82-4591	225.00	5 primal	183	195	356	389
NTRU Prime-0761-0.82-4591	248.00	5 primal	187	200	370	410
NTRUEncrypt-0443-0.80-2048	84.00	1 primal	93	92	186	208
NTRUEncrypt-0743-0.82-2048	159.00	1, 2, 3, 4, 5 primal	221	240	441	516
NTRUEncrypt-1024-724.00-1073750017	198.00	4, 5 primal	396	448	792	1043
pqNTRUsign-1024-0.70-65537	149.00	1, 2, 3, 4, 5 primal	208	225	416	480

Table 10: Cost of primal attack against NTRU-based schemes using enumeration.
The column Scheme indicates each instantiation of a scheme using the format
NAME- n - σ - q , where the equivalent LWE values are provided as seen in Section 5.